



UL 1149

Underwriters Laboratories Inc.
Standard for Safety

Low Voltage Marine Lighting
Fixtures

ULNORM.COM : Click to view the full PDF of UL 1149 2009



ULNORM.COM : Click to view the full PDF of UL 1149 2009

UL Standard for Safety for Low Voltage Marine Lighting Fixtures, UL 1149

Second Edition, Dated September 28, 2009

Summary of Topics

This new edition of UL 1149 is being issued to address universal upkeep of UL Standards for Safety. These revisions are considered to be non-substantive and not subject to UL's STP process.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

The requirements in this Standard are now in effect, except for those paragraphs, sections, tables, figures, and/or other elements of the Standard having future effective dates as indicated in the note following the affected item. The prior text for requirements that have been revised and that have a future effective date are located after the Standard, and are preceded by a "SUPERSEDED REQUIREMENTS" notice.

ULNORM.COM : Click to view the full PDF of UL 1149 2009

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 1149 2009

SEPTEMBER 28, 2009

1

UL 1149

Standard for Low Voltage Marine Lighting Fixtures

First Edition – May, 1994

Second Edition

September 28, 2009

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2009 UNDERWRITERS LABORATORIES INC.

ULNORM.COM : Click to view the full PDF of UL 1149 2009

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 1149 2009

CONTENTS

PART I – ALL FIXTURES

INTRODUCTION

1 Scope6
 2 General6
 2.1 Units of measurement6
 2.2 Terminology7
 3 Components7

CONSTRUCTION

4 General7
 5 Materials8
 6 Enclosure8
 7 Corrosion Protection9
 8 Shades, Diffusers, Lenses, and Decorative Parts9
 9 Current-Carrying Parts9
 10 Mounting of Components and Parts10
 11 Supply Connections10
 12 Wiring11
 13 Wireways11
 14 Electrical Connections12
 15 Insulating Material12
 16 Spacings12
 17 Barriers13
 18 Switches13
 19 Lampholders13

PERFORMANCE – MECHANICAL

20 Vibration Test14
 21 Shock Test14
 22 Salt Spray Corrosion Test15
 23 Ignition Protection Test15
 24 Cold Temperature Test15
 25 Watertightness Test16
 26 Drip-proof Test16

PERFORMANCE – ELECTRICAL

27 Current Input Test17
 28 Temperature Test (Surface Mounted Fixtures)17
 29 Temperature Test (Recessed Fixtures)20
 30 Abnormal Operation Test21
 31 Dielectric Voltage Withstand Test21