



# UL 1486

## STANDARD FOR SAFETY

Quick Opening Devices for Dry Pipe  
Valves for Fire Protection Service

ULNORM.COM : Click to view the full PDF of UL 1486 2023

[ULNORM.COM](https://ULNORM.COM) : Click to view the full PDF of UL 1486 2023

UL Standard for Safety for Quick Opening Devices for Dry Pipe Valves for Fire Protection Service, UL 1486

Fourth Edition, Dated September 21, 2023

### **SUMMARY OF TOPICS**

***This new Fourth Edition of ANSI/UL 1486 dated September 21, 2023 incorporates editorial changes including renumbering and reformatting to align with current style.***

The requirements are substantially in accordance with Proposal(s) on this subject dated July 7, 2023.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of ULSE Inc. (ULSE).

ULSE provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will ULSE be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if ULSE or an authorized ULSE representative has been advised of the possibility of such damage. In no event shall ULSE's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold ULSE harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

ULNORM.COM : Click to view the full PDF of UL 1486 2023