



UL 1660

STANDARD FOR SAFETY

Liquid-Tight Flexible Nonmetallic
Conduit

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 1660 2024

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 1660 2024

UL Standard for Safety for Liquid-Tight Flexible Nonmetallic Conduit, UL 1660

Sixth Edition, Dated January 30, 2019

Summary of Topics

This revision of ANSI/UL 1660 dated May 23, 2024 includes the addition of minimum inside diameter for trade sizes 2-1/2 and 3-1/2; [Table 5](#)

Text that has been changed in any manner or impacted by ULSE's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated November 10, 2023.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of ULSE Inc. (ULSE).

ULSE provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will ULSE be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if ULSE or an authorized ULSE representative has been advised of the possibility of such damage. In no event shall ULSE's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold ULSE harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 1660 2024



Association of Standardization and Certification
NMX-J-764-ANCE
First Edition



CSA Group
CSA C22.2 No. 227.2.1:19
Third Edition



ULSE Inc.
UL 1660
Sixth Edition

Liquid-Tight Flexible Nonmetallic Conduit

January 30, 2019

(Title Page Reprinted: May 23, 2024)



ANSI/UL 1660-2024



Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and UL Standards & Engagement Inc. (ULSE). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or ULSE at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and ULSE. CSA Group and ULSE will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and ULSE pages.

Copyright © 2019 ANCE

Rights reserved in favor of ANCE.

ISBN 978-1-4883-2125-2 © 2019 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2024 ULSE INC.

Our Standards for Safety are copyrighted by ULSE Inc. Neither a printed nor electronic copy of a Standard should be altered in any way. All of our Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of ULSE Inc.

This ANSI/UL Standard for Safety consists of the Sixth Edition including revisions through May 23, 2024. The most recent designation of ANSI/UL 1660 as an American National Standard (ANSI) occurred on May 23, 2024. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

Comments or proposals for revisions on any part of the Standard may be submitted to ULSE at any time. Proposals should be submitted via a Proposal Request in the Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

For information on ULSE Standards, visit <http://www.shopulstandards.com>, call toll free 1-888-853-3503 or email us at ClientService@shopULStandards.com.

CONTENTS

Preface	5
1 Scope	7
2 Definitions	7
3 General	7
3.1 Reference publications	7
3.2 Units of measurement	9
4 Construction	9
4.1 General	9
4.2 Materials	9
4.3 Dimensions	10
5 Tests	11
5.1 General	11
5.2 Vertical flame test	11
5.3 Flame test in cable trays – FT4 (OPTIONAL)	12
5.4 Cold impact	12
5.5 Resistance to deflection	13
5.6 Tension	13
5.7 Secureness forces	13
5.8 Cold flexibility	14
5.9 Deformation	14
5.10 Mechanical water absorption test	15
5.11 Moisture penetration	16
5.12 Weather resistance	16
5.13 Physical properties of separate jacket and of integral lining or jacket requirements	16
5.14 Apparatus for conducting physical tests	17
5.15 Durability of ink printing	20
5.16 Direct burial stiffness	21
6 Markings	21
6.1 Surface	21
6.2 Package	22
Tables	23
Figures	28

ULNORM.COM : Click to view the full PDF of UL 1660 2024