



UL 1786

STANDARD FOR SAFETY

Direct Plug-In Nightlights

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 1786 2021

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 1786 2021

UL Standard for Safety for Direct Plug-In Nightlights, UL 1786

Fourth Edition, Dated December 17, 2014

Summary of Topics

This revision of ANSI/UL 1786 dated February 22, 2021 includes the following changes in requirements:

- Clarification of Test Wall Dimensions in the Blanketing Test Requirements; [11.1.1](#), [Figure 12A](#)***
- Clarification of "glowing" in the Blanketing Test Requirements; [11.1.4](#), [11.1.7](#)***

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated November 11, 2019 and July 10, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 1786 2021



CSA Group
CSA C22.2 No. 256-14
Second Edition



Underwriters Laboratories Inc.
UL 1786
Fourth Edition

Direct Plug-In Nightlights

December 17, 2014

(Title Page Reprinted: February 22, 2021)

ULNORM.COM : Click to view the full PDF of UL 1786 2021



ANSI/UL 1786-2021

Commitment for Amendments

This standard is issued jointly by the Canadian Standards Association (operating as “CSA Group”) and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to CSA Group or UL at any time. Revisions to this standard will be made only after processing according to the standards development procedures of CSA Group and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue.

ISBN 978-177139-710-0 © 2014 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at store.csagroup.org or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2021 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Fourth edition including revisions through February 22, 2021. The most recent designation of ANSI/UL 1786 as an American National Standard (ANSI) occurred on February 22, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

CONTENTS

Preface	5
1 Scope	7
2 Reference Publications	7
3 Components	9
4 Units of Measurement	9
5 Application of Requirements	9
6 Definitions	10
7 Construction	11
7.1 Enclosures – General	11
7.2 Polymeric materials for enclosure and electrical insulation	12
7.3 Enclosure assembly methods	13
7.4 Corrosion protection	13
7.5 Current-carrying parts	13
7.6 Plug blades	13
7.7 Plug face dimensions	13
7.8 Polarization and identification	14
7.9 Switching mechanisms	14
7.10 Lampholder	14
7.11 Wiring and terminal connections	15
7.12 Internal wiring	15
7.13 Spacing of conductive parts	16
7.14 Grounding and bonding	17
7.15 Maximum tipping moment	17
7.16 Electroluminescent panels	17
7.17 Incandescent lamps	18
7.18 LED light sources	18
7.19 Receptacle	18
7.20 Ballasts	19
7.21 Vessels containing a liquid	19
8 General Tests	19
8.1 General	19
8.2 Accessibility of live parts	20
8.3 Dielectric voltage-withstand	20
8.4 Plug blades accessibility	20
9 Normal Operation Tests	20
9.1 Temperature	20
9.2 Lampholder and lamp base accessibility	21
10 Component Tests	22
10.1 Switch mechanism	22
10.2 Plug blade secureness test	23
10.3 Folded blade compression test	24
10.4 Mold stress-relief distortion test	24
10.5 Lamp cavity separation test	24
10.6 Pull test	24
10.7 Enclosure impact test	24
11 Abnormal Tests	25
11.1 Blanketing test	25
11.2 Overlamping test	26
11.3 Limited short-circuit test	26
11.4 Overvoltage test	26
11.5 Component breakdown test	26
11.6 Voltage surge test	27

11.7	Humidity conditioning test	28
11.8	Leakage-current test	28
11.9	Grounding continuity test	30
11.10	Crush test	30
11.11	Torque test	30
11.12	Rotational endurance test	31
12	Factory Production Tests	31
12.1	Dielectric voltage-withstand test	31
12.2	Additional factory production tests in Canada	32
13	Marking	32

Annex A (Normative) Standards for components

Annex B (CAN) (Normative) Grounding and bonding of electrical equipment

B.1	General	54
B.2	Impedance	54
B.3	Impedance Test	54

ANNEX C (CAN) (Normative) Printed circuit-board requirements

C.1	Application	55
C.2	Special Terminology	55
C.3	General	55
C.4	Printed Circuit-Board Coatings Tests	56
C.4.1	Dielectric strength	56
C.4.2	Adhesion	56
C.4.3	Abrasion resistance test apparatus	57
C.4.4	Insulation Resistance Test Voltage	58
C.4.5	Fault conditions test	58
C.5	Bond Strength of Printed-Wiring Boards	58
C.5.1	General	58
C.5.2	Test procedure	59

Annex D (CAN) (Normative) Factory Tests for Canada

D.1	Grounding continuity	60
D.2	Separation	60
D.3	Candelabra lamp devices	60
D.4	Test records	60

Annex E (CAN) (Informative) French translations and markings

Preface

This is the harmonized CSA Group and UL Standard for *Direct Plug-In Nightlights*. It is the second edition of CSA C22.2 No. 256 and the fourth edition of UL 1786. This edition of CSA C22.2 No. 256 supersedes the previous edition published in 2005. This edition of UL 1786 supersedes the previous editions published in 1995, 1988, and 2005. This harmonized standard has been jointly revised on February 22, 2021. For this purpose, CSA Group and UL are issuing revision pages dated February 22, 2021.

This harmonized Standard was prepared by the CSA Group and Underwriters Laboratories Inc. (UL). The efforts and support of the CANENA Technical Harmonization Committee are gratefully acknowledged.

This Standard was reviewed by the CSA Subcommittee on Lighting Products, under the jurisdiction of the CSA Technical Committee on Consumer and Commercial Products and the CSA Steering Committee on Requirements for Electrical Safety, and has been formally approved by the CSA Technical Committee.

This standard is considered suitable for use for conformity assessment within the stated scope of the standard.

Application of Standard

Where reference is made to a specific number of samples to be tested, the specified number is considered to be a minimum quantity.

Note: Although the intended primary application of this Standard is stated in its scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.

Level of harmonization

This Standard uses the IEC format but is not based on, nor is it to be considered equivalent to, an IEC Standard. This Standard is published as an equivalent Standard for CSA Group and UL. An equivalent Standard is a Standard that is substantially the same in technical content, except as follows: Technical national differences are allowed for codes and governmental regulations as well as those recognized as being in accordance with NAFTA Article 905, for example, because of fundamental climatic, geographical, technological, or infrastructural factors, scientific justification, or the level of protection that the country considers appropriate. Presentation is word for word except for editorial changes.

Reasons for differences from IEC

There is not an IEC Standard that is equivalent to the requirements contained in this Standard.

Interpretations

The interpretation by the standards development organization of an identical or equivalent Standard is based on the literal text to determine compliance with the Standard in accordance with the procedural rules of the standards development organization. If more than one interpretation of the literal text has been identified, a revision is to be proposed as soon as possible to each of the standards development organizations to more accurately reflect the intent.

No Text on This Page

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 1786 2021

1 Scope

1.1 This Standard applies to direct plug-in nightlights not exceeding 10 W input, for indoor use only, in non-hazardous locations and intended to be used in accordance with the *Canadian Electrical Code, Part I*, CSA C22.1, and the *National Electrical Code*, ANSI/NFPA 70. Light source types include incandescent candelabra base lamps, non-replaceable lamps, [fluorescent, neon, or light-emitting diode (LED) type] or electroluminescent panels.

1.2 These requirements cover direct plug in nightlights for insertion into a parallel slot receptacle rated 125 volts maximum.

1.3 These requirements do not cover:

- (a) cord-connected luminaires;
- (b) nightlights with more than one receptacle;
- (c) direct plug-in devices with other primary functions, such as room deodorizers, insect repellents, or rechargeable flashlights; or
- (d) direct plug-in devices utilizing plasma light.

2 Reference Publications

2.1 For undated references to Standards, such reference shall be considered to refer to the latest edition and all revisions to that edition up to the time when this Standard was approved. For dated references to Standards, such reference shall be considered to refer to the dated edition and all revisions published to that edition up to the time the Standard was approved.

2.2 Products covered by this Standard shall comply with the reference installation codes and Standards as appropriate for the country where the product is to be used. When the product is intended for use in more than one country, the product shall comply with the installation codes and Standards for all countries where it is intended to be used. A list of reference publications is provided below.

CSA Group

C22.1-12
Canadian Electrical Code, Part I

C22.2 No. 0.4-04 (R2013)
Bonding of Electrical Equipment

CAN/CSA-C22.2 No. 0.17-00 (R2013)
Evaluation of Properties of Polymeric Materials

C22.2 No. 42-10
General Use Receptacles, Attachment Plugs, and Similar Wiring Devices

CAN/CSA C22.2 No. 60065-03 (R2012)
Audio, Video, and Similar Electronic Apparatus – Safety Requirements

UL (Underwriters Laboratories Inc)

UL 498
Attachment Plugs and Receptacles

UL 498A
Current Taps and Adapters

UL 746C
Polymeric Materials – Use in Electrical Equipment Evaluations

UL 796
Printed-Wiring Boards

UL 840
Insulation Coordination Including Clearances and Creepage Distances for Electrical Equipment

UL 1449
Surge Protective Devices

ASTM (American Society for Testing and Materials)

ASTM D 1000
Standard Test Methods for Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications

ANSI/ASTM E230/E230M
Standard Specification and Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples

IEC (International Electrotechnical Commission)

IEC 60061-1
Lamp caps and holders together with gauges for the control of interchangeability and safety Part 1: Lamp caps

IEC 60664-1
Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

NEMA (National Electrical Manufacturers Association)

NEMA ANSLG C81.61
Electrical Lamp Bases – Specifications for Bases (Caps) for Electric Lamps

NEMA ANSLG C81.63a
Gauges for Electric Lamp Bases and Lampholders

NFPA (National Fire Protection Association)

ANSI/NFPA 70
National Electrical Code (NEC)

3 Components

3.1 Except as indicated in Clause 3.2, a component of a product covered by this Standard shall comply with the requirements for that component. See Annex A for a list of Standards covering components generally used in the products covered by this Standard. A component shall comply with the CSA or UL Standards as appropriate for the country where the product is to be used.

3.2 A component is not required to comply with a specific requirement that:

(a) involves a feature or characteristic not required in the application of the component in the product covered by this Standard; or

(b) is superseded by a requirement in this Standard. Electrical circuit components of an LED light source, including the LED itself, that are directly connected to line voltage are considered covered by the requirements of this Standard.

3.3 A component shall be used in accordance with its rating established for the intended conditions of use.

3.4 Specific components are accepted as being incomplete in construction features or restricted in performance capabilities. Such components are intended for use only under limited conditions, such as certain temperatures not exceeding specified limits, and shall be used only under those specific conditions.

3.5 In Canada, a driver or part thereof providing an isolated output to an LED light source shall comply with applicable requirements of the Standard for Light Emitting Diode (LED) Equipment for Lighting Applications, CAN/CSA-C22.2 No. 250.13.

In the United States, a driver or part thereof providing an isolated output to an LED light source shall comply with applicable requirements of the Standard for Light Emitting Diode (LED) Equipment for Use in Lighting Products, UL 8750.

4 Units of Measurement

4.1 The values given in SI (metric) units shall be normative. Any other values given are for information only.

Note: Wire gauge sizes are expressed in American Wire Gauge sizes because of its widespread usage.

4.2 Temperatures are given in degrees Celsius only.

4.3 Unless indicated otherwise, all voltage and current values mentioned in this Standard are root-mean-square (rms).

5 Application of Requirements

5.1 The requirements of the national installation code and other practices of Canada and the United States have been addressed in the requirements of this Standard.