



UL 2561

STANDARD FOR SAFETY

1400 Degree Fahrenheit Factory-Built
Chimneys

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 2561 2022

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 2561 2022

UL Standard for Safety for 1400 Degree Fahrenheit Factory-Built Chimneys, UL 2561

Second Edition, Dated January 22, 2016

Summary of Topics

This revision of ANSI/UL 2561 dated October 20, 2022 is being issued to update the title page to reflect the most recent designation as a Reaffirmed American National Standard (ANS). No technical changes have been made.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The requirements are substantially in accordance with Proposal(s) on this subject dated August 12, 2022.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 2561 2022

JANUARY 22, 2016
(Title Page Reprinted: October 20, 2022)



ANSI/UL 2561-2009 (R2022)

1

UL 2561

Standard for 1400 Degree Fahrenheit Factory-Built Chimneys

First Edition – July, 2009

Second Edition

January 22, 2016

This ANSI/UL Standard for Safety consists of the Second Edition including revisions through October 20, 2022.

The most recent designation of ANSI/UL 2561 as a Reaffirmed American National Standard (ANS) occurred on October 20, 2022. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2022 UNDERWRITERS LABORATORIES INC.

No Text on This Page

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 2561 2022

CONTENTS

INTRODUCTION

1	Scope	5
2	Components	5
3	Units of Measurement	5
4	Undated References	5
5	Glossary	5

CONSTRUCTION

6	Materials	6
7	Assembly	8
8	Chimney Caps	8
9	Joints	9
10	Radiation Shields	9
11	Roof Jacks	9
12	Support Assembly	10

PERFORMANCE

13	General	10
14	Test Installation	11
15	Temperature Measurement	17
16	Thermal Shock Test	22
17	Temperature Test – 1400°F (760°C) Flue Gases	22
18	Temperature Test – 1800°F (980°C) Flue Gases, 10 Minutes	23
19	Positive Pressure Applications Test	24
20	Vertical Support Test	25
21	Strength Test	25
	21.1 General	25
	21.2 Impact test	25
	21.3 Longitudinal force test	27
	21.4 Load test for chimney elbows	27
	21.5 Chimney joint load test	28
22	Wind Load Test	29
	22.1 General	29
	22.2 Roof assemblies	29
	22.3 Lateral supports	31
23	Rain Test	33
24	Resistance to Action of Acids Test of Nonmetallic Flue-Gas Conduit	36
25	Freezing and Thawing Test	36
26	Cemented Joint Test of Flue-Gas Conduit	37
27	Sulfuric Acid Extraction Test for Porcelain-Coated Steel Used for Flue-Gas Conduit	38
28	Crushing Test of Nonmetallic Flue-Gas Conduit	38

MARKING

29	General	39
----	---------------	----

INSTRUCTIONS

30	Installation Instructions	40
----	---------------------------------	----

No Text on This Page

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 2561 2022

INTRODUCTION

1 Scope

1.1 These requirements cover factory-built 1400 degree Fahrenheit chimneys intended for venting gas, liquid, and solid-fuel-fired appliances in which the maximum continuous flue-gas temperatures do not exceed 1400°F (760°C).

1.2 Factory-built chimneys are intended for installation in accordance with the Standard for Chimneys, Fireplaces, Vents, and Solid Fuel-Burning Appliances, NFPA 211, and in accordance with codes such as the International Mechanical Code, and the Uniform Mechanical Code.

2 Components

2.1 Except as indicated in [2.2](#), a component of a product covered by this standard shall comply with the requirements for that component.

2.2 A component is not required to comply with a specific requirement that:

- a) Involves a feature or characteristic not required in the application of the component in the product covered by this standard, or
- b) Is superseded by a requirement in this standard.

2.3 A component shall be used in accordance with its rating established for the intended conditions of use.

2.4 Specific components are incomplete in construction features or restricted in performance capabilities. Such components are intended for use only under limited conditions, such as certain temperatures not exceeding specified limits, and shall be used only under those specific conditions.

3 Units of Measurement

3.1 Values stated without parentheses are the requirement. Values in parentheses are explanatory or approximate information.

4 Undated References

4.1 Any undated reference to a code or standard appearing in the requirements of this standard shall be interpreted as referring to the latest edition of that code or standard.

5 Glossary

5.1 For the purpose of this standard, the following definitions apply.

5.2 COMBUSTIBLE MATERIAL, NONCOMBUSTIBLE MATERIAL – As used in these requirements, these terms are defined in the Standard for Chimneys, Fireplaces, Vents, and Solid Fuel-Burning Appliances, NFPA 211.

5.3 1400° FAHRENHEIT APPLIANCE – As used in these requirements, this term is defined in the Standard for Chimneys, Fireplaces, Vents, and Solid Fuel-Burning Appliances, NFPA 211.