



JOINT CANADA-UNITED STATES
NATIONAL STANDARD

ANSI/CAN/UL 3100:2021

STANDARD FOR SAFETY

Automated Mobile Platforms (AMPs)

ULNORM.COM : Click to view the full PDF of UL 3100 2021



SCC FOREWORD

National Standard of Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

ULNORM.COM : Click to view the full PDF of UL 3100 2021

UL Standard for Safety for Automated Mobile Platforms (AMPs), ANSI/CAN/UL 3100

First Edition, Dated May 26, 2021

Summary of Topics

This is the First Edition of Standard for Automated Mobile Platforms (AMPs), ANSI/CAN/UL 3100, which covers battery-operated mobile platforms with or without a payload. These devices are intended to be used indoors only or as outdoor use devices in a commercial or industrial environment. The device is battery powered using either lead acid batteries or lithium based batteries that, if rechargeable, are charged through a conductive system while either on board or off board the device.

The requirements are substantially in accordance with Proposal(s) on this subject dated December 4, 2020 and February 12, 2021.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 3100 2021



ANSI/UL 3100-2021

MAY 26, 2021



1

ANSI/CAN/UL 3100:2021

Standard for Automated Mobile Platforms (AMPs)

First Edition

May 26, 2021

This ANSI/CAN/UL Safety Standard consists of the First Edition.

The most recent designation of ANSI/UL 3100 as an American National Standard (ANSI) occurred on April 5, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, Preface or SCC Foreword.

This standard has been designated as a National Standard of Canada (NSC) on May 26, 2021.

COPYRIGHT © 2021 UNDERWRITERS LABORATORIES INC.

ULNORM.COM : Click to view the full PDF of UL 3100 2021

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 3100 2021

CONTENTS

| | |
|----------------------|----------|
| PREFACE | 5 |
|----------------------|----------|

INTRODUCTION

| | |
|---------------------------------|----|
| 1 Scope | 7 |
| 2 Components | 7 |
| 3 Units of Measurement | 8 |
| 4 Referenced Publications | 8 |
| 5 Glossary | 12 |

CONSTRUCTION

| | |
|---|----|
| 6 General | 14 |
| 7 Battery and Battery Management Systems | 14 |
| 8 Lithium Based Batteries | 15 |
| 9 Lead Acid Batteries | 15 |
| 10 Accessory Batteries | 15 |
| 11 Chargers | 15 |
| 12 Transformers | 16 |
| 13 Motors | 16 |
| 14 Printed Wiring Boards | 16 |
| 15 Stop Function | 16 |
| 16 Lasers | 17 |
| 17 Lamps / Horns / Alarms / Indicators | 17 |
| 18 Object Detection and Avoidance | 17 |
| 19 Brakes and Braking Distance | 19 |
| 20 Ramp/Slope Operation | 20 |
| 21 Risk Assessment | 20 |
| 22 Functional Safety | 21 |
| 23 Open Bus Bar Connection Systems | 21 |
| 24 Parts Subject to Pressure | 22 |
| 25 Load Handling Device | 23 |
| 26 Towing Capacity | 23 |
| 27 Enclosure of Hazardous Live Parts and Moving Parts | 23 |
| 28 Metallic Materials | 24 |
| 29 Nonmetallic Materials | 27 |
| 30 Openings for Indoor use AMPs | 28 |
| 31 Doors / Covers / Windows for Indoor use AMPs | 29 |
| 32 Battery Compartments/Enclosures | 30 |
| 33 Environmental Considerations | 30 |
| 34 Accessibility | 30 |
| 35 Internal Wiring | 35 |
| 36 Current Carrying Parts | 37 |
| 37 Connections (Battery to AMP, Battery to Charger, AMP to Charger) | 37 |
| 38 Fuses | 38 |
| 39 Flammability | 38 |
| 40 Low-Voltage Limited Energy Circuit (LVLE) | 38 |
| 41 Spacings and Separation of Circuits | 39 |
| 42 LVLE Circuits | 41 |
| 43 Other than Safety Circuits | 41 |
| 44 Separation of Circuits | 42 |

PERFORMANCE

| | | |
|----|--|----|
| 45 | General | 42 |
| 46 | Power Rating Verification Test | 43 |
| 47 | Temperature Test | 43 |
| 48 | AMPs with Non-Removable Batteries | 46 |
| 49 | AMPs with Removable Batteries | 47 |
| 50 | Dielectric Strength Test | 47 |
| 51 | Mold Stress Test | 48 |
| 52 | Abnormal Operations | 49 |
| 53 | Component Faults | 49 |
| 54 | Relay and Solenoid Burnout | 50 |
| 55 | Disconnected Fan and Blocked Ventilation | 50 |
| 56 | Motor Overload | 50 |
| 57 | Motor Locked Rotor | 51 |
| 58 | Overcharge Test | 51 |
| 59 | Imbalanced Charging Test | 52 |
| 60 | Vibration Test | 52 |
| 61 | Shock Test | 53 |
| 62 | Thermal Cycling Test | 53 |
| 63 | Power Loss/Power Restoration | 54 |
| 64 | Impact Test | 54 |
| 65 | Brake Test | 55 |
| 66 | Stability Test | 55 |
| 67 | Lifting Means Loading Test | 55 |
| 68 | Bumper/Touch Sensor Activation Test | 56 |
| 69 | Endurance of Battery Connectors | 56 |
| 70 | Hydrostatic Strength Test | 56 |
| 71 | Endurance of Actuator Stop Means | 56 |
| 72 | Actuator Test | 57 |

MANUFACTURING AND PRODUCTION LINE TESTING

| | | |
|----|---|----|
| 73 | Dielectric Voltage Withstand Test | 57 |
|----|---|----|

MARKING

| | | |
|----|----------------------|----|
| 74 | General | 57 |
| 75 | Identification | 58 |
| 76 | Caution | 58 |

INSTRUCTIONS

| | | |
|----|---------------------------------|----|
| 77 | General | 59 |
| 78 | Installation Instructions | 60 |
| 79 | Maintenance Instructions | 60 |
| 80 | Operating Instructions | 61 |

ANNEX A (Informative) – Safety Marking Translations

PREFACE

This is the First Edition of the ANSI/CAN/UL 3100 Standard for Automated Mobile Platforms (AMPs).

UL is accredited by the American National Standards Institute (ANSI) and the Standards Council of Canada (SCC) as a Standards Development Organization (SDO).

This Standard has been developed in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization.

This ANSI/CAN/UL 3100 Standard is under continuous maintenance, whereby each revision is approved in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization. In the event that no revisions are issued for a period of four years from the date of publication, action to revise, reaffirm, or withdraw the standard shall be initiated.

In Canada, there are two official languages, English and French. All safety warnings must be in French and English. Attention is drawn to the possibility that some Canadian authorities may require additional markings and/or installation instructions to be in both official languages.

Comments or proposals for revisions on any part of the Standard may be submitted at any time. Proposals should be submitted via a Proposal Request in the On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

To purchase UL Standards, visit the UL Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call tollfree 1-888-853-3503.

This Edition of the Standard has been formally approved by the UL Standards Technical Panel (STP) on Automated Mobile Platforms (AMPs), STP 3100.

This list represents the STP 3100 membership when the final text in this standard was balloted. Since that time, changes in the membership may have occurred.

STP 3100 Membership

| Name | Representing | Interest Category | Region |
|------------------|--|----------------------------------|----------------|
| Bablo, Joseph | UL LLC | Testing & Standards Organization | USA |
| Bauer, Andrew | Clearpath Robotics Inc | Producer | Canada |
| Brown, Peter | CSA Group | Testing & Standards Organization | United Kingdom |
| Fryman, Jeff | JDF Consulting Enterprises, Ltd | General Interest | USA |
| Jordan, Diana P. | Underwriters Laboratories Inc. | STP Chair – Non-voting | USA |
| Jorgensen, Claus | Mobile Industrial Robots | Producer | Denmark |
| Kamble, Sudesh | Intertek Testing Services | Testing & Standards Organization | USA |
| Kim, Ji Han | Korea Institute Robot Industry Advancement | Government | South Korea |

STP 3100 Membership Continued on Next Page

STP 3100 Membership Continued

| Name | Representing | Interest Category | Region |
|----------------------|---|----------------------------------|---------|
| Klave, Michael | Toyota Industrial Equipment Manufacturing | Producer | USA |
| Lehner, Bernhard | KEBA AG | Supply Chain | Austria |
| Marvel, Jeremy | National Institute of Standards & Technology | Government | USA |
| McDermitt, Steve | Crown Equipment Corp | Producer | USA |
| McGoldrick, Kevin | Hyster-Yale Group Inc | Producer | USA |
| McKernan, Pat | Cascade Corp | Supply Chain | USA |
| Monsen, Megan | Underwriters Laboratories Inc. | STP Project Manager – Non-voting | USA |
| Nehrkorn, Mark | SICK Inc. | Supply Chain | USA |
| Ortiz, Harold | PILZ Automation Safety L P | General Interest | USA |
| Ortlieb, Mark | Brain Corporation | Producer | USA |
| Ould, Lee | Safety Engineering Laboratory (SEL) | General Interest | USA |
| Posner, Daniel | TUV Rheinland of NA | Testing & Standards Organization | USA |
| Prather, Aaron | FedEx | Commercial / Industrial User | USA |
| Rood, Ian | UBSafe Inc | General Interest | Canada |
| Shea, Roberta Nelson | Universal Robots | Supply Chain | USA |
| Sines, Jeread | Amazon | Producer | USA |
| Tiwary, Sumit | GreyOrange India Pvt Ltd | Producer | India |
| Webber, Luke | MCFA | Producer | USA |
| Winrich, Marvin | Rockwell Automation | Supply Chain | USA |
| Yang, Shuping | Beijing Research Institute of Automation for Machinery Industry | International Delegate | China |

International Classification for Standards (ICS): 25.040.30

For further information on UL standards, please contact:

Underwriters Laboratories Inc.
 171 Nepean Street, Suite 400
 Ottawa, Ontario K2P 0B4
 Phone: 1-613.755.2729
 E-mail: ULCStandards@ul.com
 Web site: ul.com

This Standard is intended to be used for conformity assessment.

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for this particular application.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE.

INTRODUCTION

1 Scope

1.1 These requirements cover battery-operated mobile platforms with or without a payload, as specified in [1.2](#). These devices are intended to be used indoors only or as outdoor use devices in a commercial or industrial environment. The device is battery powered using either lead acid batteries or lithium based batteries that, if rechargeable, are charged through a conductive system while either on board or off board the device.

1.2 Mobile platforms that are covered by this Standard are intended for lifting, carrying, product picking, towing, and the like. These actions may be provided by a gripping attachment, suction attachment, scope attachment, and the like, to lift or carry the load.

1.3 Portions of a system, such as the charger, that are located off board the AMP, are intended to be installed in accordance with the National Electrical Code (NEC), NFPA 70 and the Canadian Electrical Code (CE Code), CSA C22.1.

1.4 This Standard does not include requirements for industrial robots, which are covered under the Standard for Robots and Robotic Equipment, UL 1740 and Industrial Robots and Robot Systems, CSA Z434. A robotic manipulator that is in compliance with these standards may be used as the payload for the integrated system.

1.5 This Standard does not include requirements for Automatic Guided Vehicles or Automated Vehicles that function as commercial and industrial floor cleaning equipment. This equipment is covered under the standard for Particular Requirements for Rechargeable Battery-Operated Commercial Robotic Floor Treatment Machines with Traction Drives, CSA C22.2 No. 336.

1.6 This Standard does not cover battery powered industrial trucks that are rated Type E, EE, ES, or EX, and marked as such, as defined in the Fire Safety Standard for Powered Industrial Trucks Including Type Designations, Areas of Use, Conversions, Maintenance, and Operations, NFPA 505. These truck types are covered under the Standard for Electric-Battery-Powered Industrial Trucks, UL 583 and the Guide for the Investigation of Electric-Battery-Powered Industrial Trucks, ULC/ORD-C583.

1.7 Automated mobile platforms are not provided with “forks” and are not intended to operate as “forklifts.” Any device with that capability is considered an industrial truck and is evaluated as indicated in [1.6](#).

1.8 This standard does not cover products intended to transport persons.

2 Components

2.1 A component of a product covered by this Standard shall:

- a) Comply with the requirements for that component as specified in this Standard;
- b) Be used in accordance with its rating(s) established for the intended conditions of use; and
- c) Be used within its established use limitations or conditions of acceptability.

2.2 A component of a product covered by this Standard is not required to comply with a specific component requirement that:

- a) Involves a feature or characteristic not required in the application of the component in the product;
- b) Is superseded by a requirement in this Standard; or
- c) Is separately investigated when forming part of another component, provided the component is used within its established ratings and limitations.

2.3 Specific components are incomplete in construction features or restricted in performance capabilities. Such components are intended for use only under limited conditions, such as certain temperatures not exceeding specified limits, and shall be used only under those specific conditions.

2.4 A component that is also intended to perform other functions such as overcurrent protection, ground-fault circuit-interruption, surge suppression, any other similar functions, or any combination thereof, shall comply additionally with the requirements of the applicable standard(s) that cover devices that provide those functions.

3 Units of Measurement

3.1 Values stated without parentheses are the requirement. Values in parentheses are explanatory or approximate information.

4 Referenced Publications

4.1 Any undated reference to a code or standard appearing in the requirements of this Standard shall be interpreted as referring to the latest edition of that code or standard.

4.2 The following standards are referenced in this Standard, and portions of these referenced standards may be essential for compliance.

ANSI Standards

ANSI Z97.1, *Safety Glazing Materials Used In Buildings – Safety Performance Specifications And Methods Of Test*

American Society for Testing and Materials (ASTM) Standards

ASTM E230/E230M, *Standard Specification and Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples*

ASTM D1525, *Standard Test Method For Vicat Softening Temperature Of Plastics*

Code of Federal Regulations (CFR)

21 CFR Part 1040 series, *Performance Standards for Light-Emitting Products*

CSA Standards

CSA C22.1, *Canadian Electrical Code (CE Code)*

CSA C22.2 No. 0.15, *Adhesive Labels*

CSA C22.2 No. 0.2, *Insulation Coordination*

CSA C22.2 No. 0.8, *Safety Functions Incorporating Electronic Technology*

CSA C22.2 No. 14, *Industrial Control Equipment*

CSA C22.2 No. 0.17, *Evaluation of Properties of Polymeric Materials*

CSA C22.2 No. 49, *Flexible Cords and Cables*

CSA C22.2 No. 66.1, *Low Voltage Transformers – Part 1: General Requirements*

CSA C22.2 No. 66.2, *Low Voltage Transformers – Part 2: General Purpose Transformers*

CSA C22.2 No. 66.3, *Low Voltage Transformers – Part 3: Class 2 and Class 3 Transformers*

CSA C22.2 No. 75, *Thermoplastic - Insulated Wires and Cables*

CSA C22.2 No. 94.2, *Enclosures for Electrical Equipment, Environmental Considerations*

CSA C22.2 No. 96, *Portable Power Cables*

CSA C22.2 No. 100, *Motors and Generators*

CSA C22.2 No. 107.1, *Power Conversion Equipment*

CSA C22.2 No. 107.2, *Battery Chargers*

CSA C22.2 No. 182.3, *Special Use Attachment Plugs, Receptacles, and Connectors*

CSA C22.2 No. 210, *Appliance Wiring Material Products*

CSA C22.2 No. 223, *Power Supplies with Extra Low Voltage Class 2 Outputs*

CSA C22.2 No. 248 series, *Low Voltage Fuses*

CSA C22.2 No. 336, *Particular Requirements for Rechargeable Battery-Operated Commercial Robotic Floor Treatment Machines with Traction Drives*

CSA C22.2 No. 60950-1, *Information Technology Equipment – Safety – Part 1: General Requirements*

CSA C22.2 No. 60335-2-29, *Household and Similar Electrical Appliances – Safety – Part 2-29: Particular Requirements for Battery Chargers*

CSA C22.2 No. 62133-2, *Secondary Cells and Batteries Containing Alkaline or other Non-Acid Electrolytes – Safety Requirements for Portable Sealed Secondary Cells, and for Batteries made from them, for use in Portable Applications – Part 2: Lithium Systems*

CSA C22.2 No. 62368-1, *Audio/Video, Information and Communication Technology Equipment – Part 1: Safety Requirements*

CSA Z434, *Industrial Robots and Robot Systems*