



ULC Standards
Normes ULC



ANSI/CAN/UL/ULC 567A:2024

JOINT CANADA – UNITED
STATES NATIONAL STANDARD

STANDARD FOR SAFETY

Emergency Breakaway Fittings, Swivel
Connectors and Pipe-Connection
Fittings for Gasoline and
Gasoline/Ethanol Blends with Nominal
Ethanol Concentrations up to 85
Percent (E0 – E85)



ANSI/UL 567A-2024



National Standard of Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

ULNORM.COM : Click to view the full PDF of UL 567A 2024

UL Standard for Safety for Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0 – E85), ANSI/CAN/UL/ULC 567A

Second Edition, Dated May 31, 2024

Summary of Topics

This new Second edition of ANSI/CAN/UL/ULC 567A dated May 31, 2024 is being issued as a new joint US/Canada Standard reflecting the latest ANSI and SCC approval dates and incorporating the proposal dated August 4, 2023.

The new requirements are substantially in accordance with Proposal(s) on this subject dated August 4, 2023.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of ULSE Inc. (ULSE).

ULSE provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will ULSE be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if ULSE or an authorized ULSE representative has been advised of the possibility of such damage. In no event shall ULSE's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold ULSE harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 567A 2024



ANSI/UL 567A-2024

MAY 31, 2024



1

ANSI/CAN/UL/ULC 567A:2024

**Standard for Emergency Breakaway Fittings, Swivel Connectors and Pipe-
Connection Fittings for Gasoline and Gasoline/Ethanol Blends with Nominal
Ethanol Concentrations up to 85 Percent (E0 – E85)**

Prior to the first edition, the requirements for the products covered by this standard were included in the Outline of Investigation for Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0 – E85), UL 567A.

First Edition – March, 2015

Second Edition

May 31, 2024

This ANSI/CAN/UL/ULC Safety Standard consists of the Second Edition.

The most recent designation of ANSI/UL 567A as an American National Standard (ANSI) occurred on May 31, 2024. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, Preface or SCC Foreword.

This Standard has been designated as a National Standard of Canada (NSC) on May 31, 2024.

COPYRIGHT © 2024 ULSE INC.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 567A 2024

CONTENTS

Preface	5
---------------	---

INTRODUCTION

1 Scope	7
2 Components	8
3 Units of Measurement	8
4 Referenced Publications	8
5 Glossary	9

CONSTRUCTION

6 General	11
7 Materials	11
7.1 Metallic materials	11
7.2 Nonmetallic materials	14
7.3 Casting impregnation materials	16
7.4 Internal parts	16
7.5 Blending options	16
8 Swivel Connectors and Emergency Breakaway Fittings	17
9 Pipe-Connecting Fittings	17
10 End Connections	18

PERFORMANCE

11 General	21
12 Long Term Exposure Test	22
12.1 General	22
12.2 Samples	23
12.3 Method	23
12.4 Results	24
13 Electrical-Continuity Test	24
13.1 General	24
13.2 Electrical continuity measurement	24
13.3 Electrical continuity alternate method	25
14 External Leakage Test	25
15 Seat Leakage Test	25
16 Operation Test	25
17 Endurance Test	29
18 Abuse Test	29
19 Drop Test	30
20 Hydrostatic Strength Test	30
21 Pull Test	31
21.1 Pipe-connecting fitting	31
21.2 Emergency breakaway fitting	31
22 Marking Adhesion Test	32
23 Moist Ammonia-Air Stress Cracking Test	32
24 Blending Cycling Test	33

MANUFACTURING AND PRODUCTION

25 General	33
------------------	----

INSTALLATION AND OPERATING INSTRUCTIONS

26 General34

MARKING

27 General34

ANNEX A (Normative) – TEST FLUIDS

A.1 Details.....36

ULNORM.COM : Click to view the full PDF of UL 567A 2024