



UL 60079-13

STANDARD FOR SAFETY

Explosive Atmospheres – Part 13:
Equipment Protection by Pressurized
Room "p" and Artificially Ventilated
Room "v"

ULNORM.COM : Click to view the full PDF of UL 60079-13 2020

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 60079-13 2020

UL Standard for Safety for Explosive Atmospheres – Part 13: Equipment Protection by Pressurized Room "p" and Artificially Ventilated Room "v", UL 60079-13

First Edition, Dated April 20, 2020

Summary of Topics

This is an editorial revision of the First Edition of ANSI/UL 60079-13 dated May 22, 2020. This revision includes adding the National Difference page which identifies the national difference types included in the standard. This page was inadvertently left out of the first edition publication of UL 60079-13 dated April 20, 2020. No technical changes have been made.

This standard is an adoption of IEC 60079-13, Explosive Atmospheres – Part 13: Equipment Protection by Pressurized Room "p" and Artificially Ventilated Room "v", (second edition issued by the IEC May 2017) as an IEC-based UL standard with US Differences.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 60079-13 2020

APRIL 20, 2020
(Title Page Reprinted: May 22, 2020)



ANSI/UL 60079-13-2020

1

UL 60079-13

**Standard for Explosive Atmospheres – Part 13: Equipment Protection by
Pressurized Room "p" and Artificially Ventilated Room "v"**

First Edition

April 20, 2020

This ANSI/UL Standard for Safety consists of the First Edition including revisions through May 22, 2020.

The most recent designation of ANSI/UL 60079-13 as an American National Standard (ANSI) occurred on April 20, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2020 UNDERWRITERS LABORATORIES INC.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 60079-13 2020

CONTENTS

PREFACE	5
NATIONAL DIFFERENCES	7
FOREWORD	9
INTRODUCTION.....	11
1 Scope	13
1DV.1 Modification of the Clause 1 to replace with the following:.....	13
2 Normative references	16
2DV Modification of Clause 2 references to replace with the following:.....	16
3 Terms and definitions.....	17
4 Requirements for all rooms	19
4.1 General	19
4.2 Type and level of protection	20
4.3 Construction.....	20
4.4 Mechanical strength.....	20
4.5 Penetrations and seals.....	21
4.6 Personnel access doors	21
4.7 Inlets and outlets	21
4.8 Ducts.....	21
4.9 Purging and cleaning	21
4.10 Ignition prevention under system failure.....	22
4.10DV Modification of Clause 4.10 to replace with the following:.....	22
5 Clean air supply	23
5.1 General	23
5.2 Source of clean air.....	23
5.2DV Modification of Clause 5.2 to replace with the following:	23
5.3 Environmental and air temperature conditions	23
5.4 Heating, ventilation and air conditioning services	24
6 Requirements for pressurized rooms	24
6.1 General	24
6.2 Purging of rooms	27
6.3 Minimum safety provisions, safety devices and electrical disconnects.....	27
6.4 Verification for pressurized rooms	29
7 Requirements for artificially ventilated rooms.....	30
7.1 General	30
7.2 Purging of artificially ventilated rooms	32
7.3 Minimum safety provisions, safety devices and electrical disconnects.....	33
7.4 Loss of artificial ventilation.....	34
7.5 Verification for artificially ventilated rooms.....	35
8 Marking	36
8.1 General	36
8.2 Marking of pressurized rooms.....	37
8.3 Marking for artificially ventilated rooms.....	37
8.3DV Modification of Clause 8.3, first paragraph to replace with the following:.....	37
9 Instructions.....	38
9.1 General	38
9.2 Technical documentation for pressurized rooms.....	38
9.3 Technical documentation for artificially ventilated rooms	39
9.4 Technical documentation for rooms protected by pressurization and artificial ventilation combined.....	40

9.5 Modifications	40
-------------------------	----

Annex A (informative) Maintenance

A.1 Periodic verification	41
A.1DV Modification of Clause A.1 to replace with the following:	41
A.2 Modifications	41

Annex B (informative) Guidelines when pressurization or artificial ventilation is not immediately restored

Annex C (informative) Examples of applications and associated guidelines

C.1 Examples of applications	43
C.2 Guidelines for gas turbine enclosure/package	43
C.2DV.1. Modification of Annex C.2, second paragraph to replace with the following:	43

Bibliography

BIBDV Modification of the Bibliography to replace with the following:	44
---	----

ULNORM.COM : Click to view the full PDF of UL 60079-13 2020

PREFACE

This UL Standard is based on IEC Publication 60079-13: second edition Explosive atmospheres – Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v". IEC publication 60079-13 is copyrighted by the IEC.

This edition has been issued to satisfy UL Standards policy.

These materials are subject to copyright claims of IEC and UL. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of UL. All requests pertaining to the Explosive atmospheres – Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v", UL 60079-13 Standard should be submitted to UL.

Note – Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.

NAME	COMPANY
*B. Zimmermann, Chair	R Stahl Inc.
*T. Adam	FM Approvals LLC
R. Allen	Honeywell Inc.
*J. Anderson	Thermon Mfg Co.
D. Ankele	UL LLC
S. Bihler-Lopez	CML Inc.
S. Blais	Emerson/Appleton Group
K. Boegli	KBB Consulting
R. Brownlee	Pepperl + Fuchs Inc.
D. Burns	Shell P&T – Innovation / R&D
R. Chalmers	Industrial Scientific Corp.
*C. Coache	National Fire Protection Association
*M. Cole	Hubbell Canada LP
D. Cook	Shelby County Department of Development Services
M. Coppler	Det Norske Veritas Certification Inc.
*R. Deadman	UL LLC
M. Dona	Consultant
T. Dubaniewicz	NIOSH
*G. Edwards	Det-Tronics
M. Egloff	Montana Tech, University of Montana
M. Ehrmann	R Stahl Inc
D. El Tawy	Siemens Energy
*A. Engler	Det Norske Veritas DNV
W. Fiske	Intertek
Z. Fosse	DEKRA Certification Inc
G. Gurinder	Gurinder Garcha Consulting
D. Grady	Talema Group
R. Holub	DuPont
E. Hong	Solar Turbines Inc.
P. House	Thermon Mfg. Co.
D. Jang	National Research Council Canada
*B. Johnson	Thermon Mfg. Co.