



# UL 60079-13

## STANDARD FOR SAFETY

Explosive Atmospheres – Part 13:  
Equipment Protection by Pressurized  
Room "p" and Artificially Ventilated  
Room "v"

ULNORM.COM : Click to view the full PDF of UL 60079-13 2022

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 60079-13 2022

UL Standard for Safety for Explosive Atmospheres – Part 13: Equipment Protection by Pressurized Room "p" and Artificially Ventilated Room "v", UL 60079-13

Second Edition, Dated June 27, 2022

### **Summary of Topics**

***This Second Edition ANSI/UL 60079-13 standard dated June 27, 2022 is an adoption of IEC 60079-13, Explosive Atmospheres – Part 13: Equipment Protection by Pressurized Room "p" and Artificially Ventilated Room "v", (second edition issued by the IEC May 2017) as an IEC-based UL standard with US Differences.***

The revised requirements are substantially in accordance with Proposal(s) on this subject dated September 3, 2021 and April 8, 2022.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

[ULNORM.COM](https://ULNORM.COM) : Click to view the full PDF of UL 60079-13 2022

JUNE 27, 2022



ANSI/UL 60079-13-2022

1

UL 60079-13

**Standard for Explosive Atmospheres – Part 13: Equipment Protection by  
Pressurized Room "p" and Artificially Ventilated Room "v"**

First Edition – April 20, 2020

**Second Edition**

**June 27, 2022**

This ANSI/UL Standard for Safety consists of the Second Edition.

The most recent designation of ANSI/UL 60079-13 as an American National Standard (ANSI) occurred on June 27, 2022. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

**COPYRIGHT © 2022 UNDERWRITERS LABORATORIES INC.**

**UL COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER**

**REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM UL INC.**

No Text on This Page

[ULNORM.COM](http://ULNORM.COM) : Click to view the full PDF of UL 60079-13 2022

CONTENTS

**PREFACE ..... 5**

**NATIONAL DIFFERENCES ..... 7**

**FOREWORD ..... 9**

**INTRODUCTION..... 11**

1 Scope ..... 13

    1DV.1 Modification of the Clause 1 to replace with the following: ..... 13

    Table 1DV.1 Modification of Table 1DV.1 with the following: ..... 14

2 Normative references ..... 17

    2DV Modification of Clause 2 references to replace with the following: ..... 17

3 Terms and definitions ..... 17

    3.14DV Modification of Clause 3.14 references to replace with the following: ..... 19

4 Requirements for all rooms ..... 20

    4.1 General ..... 20

    4.1DV Modification of Clause 4.1 to replace with the following: ..... 20

    4.2 Type and level of protection ..... 21

    4.3 Construction ..... 23

    4.4 Mechanical strength ..... 23

    4.5 Penetrations and seals ..... 23

    4.6 Personnel access doors ..... 23

    4.7 Inlets and outlets ..... 23

    4.8 Ducts ..... 24

    4.9 Purging and cleaning ..... 24

    4.10 Ignition prevention under system failure ..... 25

    4.10DV Modification of Clause 4.10 to replace with the following: ..... 25

5 Clean air supply ..... 25

    5.1 General ..... 25

    5.2 Source of clean air ..... 25

    5.2DV Modification of Clause 5.2 to replace with the following: ..... 25

    5.3 Environmental and air temperature conditions ..... 26

    5.4 Heating, ventilation and air conditioning services ..... 26

6 Requirements for pressurized rooms ..... 26

    6.1 General ..... 26

    6.2 Purging of rooms ..... 29

    6.3 Minimum safety provisions, safety devices and electrical disconnects ..... 30

    6.4 Verification for pressurized rooms ..... 31

7 Requirements for artificially ventilated rooms ..... 32

    7.1 General ..... 32

    7.2 Purging of artificially ventilated rooms ..... 35

    7.3 Minimum safety provisions, safety devices and electrical disconnects ..... 36

    7.4 Loss of artificial ventilation ..... 37

    7.5 Verification for artificially ventilated rooms ..... 37

8 Marking ..... 39

    8.1 General ..... 39

    8.1DV Modification of Clause 8.1 to replace with the following: ..... 39

    8.2 Marking of pressurized rooms ..... 40

    8.3 Marking for artificially ventilated rooms ..... 41

    8.3DV Modification of Clause 8.3, first paragraph to replace with the following: ..... 41

    8.3DV.1 Modification for Clause 8.3 to delete 3rd paragraph as follows: ..... 41

    8.3DV.2 Modification of Clause 8.3, fourth paragraph to replace with the following: ..... 41

9	Instructions .....	42
9.1	General .....	42
9.2	Technical documentation for pressurized rooms .....	42
9.3	Technical documentation for artificially ventilated rooms .....	42
9.3DV	Modification of Clause 9.3 to replace with the following: .....	42
9.4	Technical documentation for rooms protected by pressurization and artificial ventilation combined .....	43
9.5	Modifications .....	44

#### **Annex A (informative) Maintenance**

A.1	Periodic verification .....	45
A.1DV	Modification of Clause A.1 to replace with the following: .....	45
A.2	Modifications .....	45

#### **Annex B (informative) Guidelines when pressurization or artificial ventilation is not immediately restored**

#### **Annex C (informative) Examples of applications and associated guidelines**

C.1	Examples of applications .....	47
C.2	Guidelines for gas turbine enclosure/package .....	47
C.2DV.1.	Modification of Annex C.2, second paragraph to replace with the following: .....	47

#### **Bibliography**

BIBDV	Modification of the Bibliography to replace with the following: .....	48
-------	---	----

ULNORM.COM : Click to view the full PDF of UL 60079-13 2022

## PREFACE

This UL Standard is based on IEC Publication 60079-13: second edition Explosive atmospheres – Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v". IEC publication 60079-13 is copyrighted by the IEC.

This edition has been issued to satisfy UL Standards policy.

These materials are subject to copyright claims of IEC and UL. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of UL. All requests pertaining to the Explosive atmospheres – Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v", UL 60079-13 Standard should be submitted to UL.

Note – Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.

NAME	COMPANY
*B. Zimmermann, Chair	R Stahl Inc.
*T. Adam	FM Approvals LLC
R. Allen	Honeywell Inc.
*J. Anderson	Thermon Mfg Co.
D. Ankele	UL LLC
S. Bihler-Lopez	CML Inc.
S. Blais	Emerson/Appleton Group
K. Boegli	KBB Consulting
R. Brownlee	Pepperl + Fuchs Inc.
D. Burns	Shell P&T – Innovation / R&D
R. Chalmers	Industrial Scientific Corp.
H. Chateaufeuf	BBA Consultants
*C. Coache	National Fire Protection Association
*M. Cole	Hubbell Canada LP
D. Cook	Shelby County Department of Development Services
M. Coppler	Det Norske Veritas Certification Inc.
*R. Deadman	UL LLC
M. Dona	Consultant
T. Dubaniewicz	NIOSH
*G. Edwards	Det-Tronics
M. Egloff	Montana Tech, University of Montana
M. Ehrmann	R Stahl Inc
D. El Tawy	Siemens Energy
*A. Engler	Det Norske Veritas DNV
W. Fiske	Intertek
Z. Fosse	DEKRA Certification Inc
G. Gurinder	Gurinder Garcha Consulting
D. Grady	Talema Group
R. Holub	DuPont
E. Hong	Solar Turbines Inc.
P. House	Thermon Mfg. Co.
D. Jang	National Research Council Canada

UL COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER

REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM UL INC.

<b>NAME</b>	<b>COMPANY</b>
*B. Johnson	Thermon Mfg. Co.
R. Johnson	Source IEC
*P. Kelly	UL LLC
S. Kiddle	ABB Inc
A. Kreider	Phoenix Contact Development & Manufacturing Inc.
*J. Kuntscher	Thermon Mfg Co.
S. Lambaz	Littelfuse Inc.
W. Lawrence	FM Approvals LLC
E. Leubner	Eaton's Crouse-Hinds Business
W. Lowers	WCL Corp.
*N. Ludlam	FM Approvals Ltd.
E. Massey	ABB Motors and Mechanical Inc.
W. McBride	Northern Electric Co.
T. Michalski	Killark Electric Mfg. Co.
*O. Murphy	Honeywell Inc.
D. Nachtigall	Rockwell Automation
D. Nedorostek	Bureau of Safety & Environmental Enforcement (BSEE)
A. Page	Bud Page Consultant Inc.
R. Parks	National Instruments
I. Rakonjac	Eurofins North America (MET Labs)
L. Ricks	ExVeritas North America LLC
P. Rigling	Eaton Electric Ltd – MTL
*K. Robinson	Occupational Safety and Health Adm.
J. Ruggieri	General Machine Corp.
*J. Scheller	ABB Motor and Mechanical Inc.
P. Schimmoeller	CSA Group
*T. Schnaare	Rosemount Inc.
R. Seitz	ARTECH Engineering
S. Sharma	Lindsay Corp.
G. Sitnik	MET Laboratories Inc.
J. Sotherden	Eatons Crouse-Hinds Business
G. Steinman	ABB Installation Products Inc.
*R. Teather	Det Norske Veritas Certification Inc.
L. Vlaga	General Monitors
D. Wechsler	American Chemistry Council
N. Wienhold	Rosemount Inc.
R. Wigg	E-x Solutions International Pty Ltd.
*K. Wolf	Intertek
T. Woods	Bentley Nevada
R. Zalosh	Firexplo

\* Non-voting member