UL 840

STANDARD FOR SAFETY

Insulation Coordination Including Clearances and Creepage Distances for Electrical Equipment

UL Standard for Safety for Insulation Coordination Including Clearances and Creepage Distances for Electrical Equipment, UL 840

Third Edition, Dated January 6, 2005

Summary of Topics

This revision to ANSI/UL 840 dated April 19, 2022 is being issued to update the title page to reflect the most recent designation as a Reaffirmed American National Standard (ANS). No technical changes have been made.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The requirements are substantially in accordance with Proposal(s) on this subject dated February 4, 2022.

No Text on This Page

JANUARY 6, 2005
(Title Page Reprinted: April 19, 2022)

ANSI/UL 840-2012 (R2022)

UL 840

Standard for Insulation Coordination Including Clearances and Creepage Distances for Electrical Equipment

First Edition – December, 1984
Second Edition – May, 1993

Third Edition

January 6, 2005

This ANSI/UL Standard for Safety consists of the Third Edition including revisions through April 19, 2022.

The most recent designation of ANSI/UL 840 as a Reaffirmed American National Standard (ANS) occurred on April 19, 2022. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

No Text on This Page

CONTENTS

INTRODUCTION

CONSTRUCTION

PERFORMANCE