

Fifth edition
2015-11-15

AMENDMENT 1
2019-03

**Information technology — Abstract
Syntax Notation One (ASN.1):
Specification of basic notation**

**AMENDMENT 1: Relaxing imports clause
to allow importation of definitions from
new versions of a given module**

*Technologies de l'information — Notation de syntaxe abstraite
numéro un (ASN.1): Spécification de la notation de base*

AMENDEMENT 1: .

IECNORM.COM : Click to view the full PDF of ISO/IEC 8824-1:2015/Amd 1:2019



Reference number
ISO/IEC 8824-1:2015/Amd.1:2019(E)

© ISO/IEC 2019

IECNORM.COM : Click to view the full PDF of ISO/IEC 8824-1:2015/Amd 1:2019



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by ITU-T (as X.680 (2015)/Amd.1) and drafted in accordance with its editorial rules. It was assigned to Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 6, Telecommunications and information exchange between systems*, and adopted under the "fast-track procedure".

A list of all parts in the ISO/IEC 8824 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

IECNORM.COM : Click to view the full PDF of ISO/IEC 8824-1:2015/Amd 1:2019

INTERNATIONAL STANDARD ISO/IEC 8824-1
RECOMMENDATION ITU-T X.680Information technology –
Abstract Syntax Notation One (ASN.1):
Specification of basic notation

Amendment 1

Relaxing IMPORTS clause to allow importation of definitions
from new versions of a given module

Summary

Amendment 1 to Rec. ITU-T X.680 | ISO/IEC 8824-1 relaxes the IMPORTS clause to allow importation of definitions from new versions of a given module.

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T X.680	1994-07-01	7	11.1002/1000/3040
1.1	ITU-T X.680 (1994) Amd. 1	1995-04-10	7	11.1002/1000/3041
1.2	ITU-T X.680 (1994) Technical Cor. 1	1995-11-21	7	11.1002/1000/3282
1.3	ITU-T X.680 (1994) Technical Cor. 2	1997-12-12	7	11.1002/1000/4180
1.4	ITU-T X.680 (1994) Amd. 1/Technical Cor.1	1997-12-12	7	11.1002/1000/4179
1.5	ITU-T X.680 (1994) Amd. 2	1997-12-12	7	11.1002/1000/4181
2.0	ITU-T X.680	1997-12-12	7	11.1002/1000/4449
2.1	ITU-T X.680 (1997) Technical Cor. 1	1999-06-18	7	11.1002/1000/4700
2.2	ITU-T X.680 (1997) Amd. 1	1999-06-18	7	11.1002/1000/4698
2.3	ITU-T X.680 (1997) Amd. 2	1999-06-18	7	11.1002/1000/4699
2.4	ITU-T X.680 (1997) Technical Cor. 2	2000-03-31	7	11.1002/1000/5046
2.5	ITU-T X.680 (1997) Technical Cor. 3	2001-02-02	7	11.1002/1000/5331
2.6	ITU-T X.680 (1997) Technical Cor. 4	2001-03-15	7	11.1002/1000/5332
2.7	ITU-T X.680 (1997) Amd. 3	2001-10-29	7	11.1002/1000/5562
2.8	ITU-T X.680 (1997) Amd. 4	2001-10-29	7	11.1002/1000/5563
3.0	ITU-T X.680	2002-07-14	17	11.1002/1000/6085
3.1	ITU-T X.680 (2002) Amd. 1	2003-10-29	17	11.1002/1000/7019
3.2	ITU-T X.680 (2002) Amd. 2	2004-08-29	17	11.1002/1000/7291
3.3	ITU-T X.680 (2002) Technical Cor. 1	2005-05-14	17	11.1002/1000/8512
3.4	ITU-T X.680 (2002) Amd. 3	2006-06-13	17	11.1002/1000/8836
3.5	ITU-T X.680 (2002) Amd. 4	2007-05-29	17	11.1002/1000/9105
4.0	ITU-T X.680	2008-11-13	17	11.1002/1000/9604
4.1	ITU-T X.680 (2008) Cor. 1	2011-10-14	17	11.1002/1000/11376
4.2	ITU-T X.680 (2008) Cor. 2	2014-03-01	17	11.1002/1000/12144
5.0	ITU-T X.680	2015-08-13	17	11.1002/1000/12479
5.1	ITU-T X.680 (2015) Cor. 1	2017-05-14	17	11.1002/1000/13257
5.2	ITU-T X.680 (2015) Cor. 2	2017-10-14	17	11.1002/1000/13361
5.3	ITU-T X.680 (2015) Cor. 3	2018-05-14	17	11.1002/1000/13598
5.4	ITU-T X.680 (2015) Amd. 1	2018-05-14	17	11.1002/1000/13597

* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2019

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

**Information technology –
Abstract Syntax Notation One (ASN.1):
Specification of basic notation**

Amendment 1

**Relaxing IMPORTS clause to allow importation of definitions
from new versions of a given module**

Conventions used in this amendment: Original, unchanged, text is in normal font. Deleted text is struck-through, thus: ~~deleted text~~. Inserted text is underlined, thus: inserted text.

1 Clause 13

In clause 13 modify the SymbolsFromModule production as follows:

SymbolsFromModule ::=
SymbolList FROM GlobalModuleReference SelectionOption

SelectionOption ::=
empty
WITH "SUCCESSORS"
WITH "DESCENDANTS"

Modify clause 13.16 as follows (adding bullet f):

13.16 When the "SymbolsImported" alternative of "Imports" is selected:

- a) Each "Symbol" in "SymbolsFromModule" shall either be defined in the module body, or be present in the "Imports" clause, of the module denoted by the "GlobalModuleReference" in "SymbolsFromModule". Importing a "Symbol" present in the "Imports" clause of the referenced module is only allowed if there is only one occurrence of the "Symbol" in that clause, and the "Symbol" is not defined in the referenced module.
NOTE 1 – This does not prohibit the same symbol name defined in two different modules from being imported into another module. However, if the same "Symbol" name appears more than once in the "Imports" clause of module A, that "Symbol" name cannot be exported from A for import to another module B.
- b) If the "SymbolsExported" alternative of "Exports" is selected in the definition of the module denoted by the "GlobalModuleReference" in "SymbolsFromModule" the "Symbol" shall appear in its "SymbolsExported".
- c) Only those "Symbol"s that appear amongst the "SymbolList" of a "SymbolsFromModule" may appear as the symbol in any "External<X>Reference" which has the "modulereference" denoted by the "GlobalModuleReference" of that "SymbolsFromModule" (where <X> is "Value", "Type", "Object", "Objectclass", or "Objectset").
- d) If there are no such "Symbol"s, then the "empty" alternative of "SymbolsImported" shall be selected.
NOTE 2 – An effect of c) and d) is that the statement **IMPORTS**; implies that the module cannot contain an "External<X>Reference".
- e) All the "SymbolsFromModule" in the "SymbolsFromModuleList" shall include occurrences of "GlobalModuleReference" such that:
 - i) the "modulereference" in them are all different from each other and from the "modulereference" associated with the referencing module; and
 - ii) the "AssignedIdentifier", when non-empty, denotes object identifier values which are all different from each other and from the object identifier value (if any) associated with the referencing module.
- f) If the "SymbolsFromModule" has a non-empty "SelectionOption", the "AssignedIdentifier" in the "GlobalModuleReference" shall not be empty, and the referenced module shall be determined as follows:
 - i) If the "SelectionOption" is **WITH SUCCESSORS**, the module denoted by the "GlobalModuleReference" is the one that has a DefinitiveIdentification with an object identifier whose last node may be

incremented zero or more times. If multiple modules meet this criterion, the denoted module is the one whose object identifier has the last node with the greatest number of increments.

- ii) If the "SelectionOption" is **WITH DESCENDANTS**, the module denoted by the "GlobalModuleReference" is the one that has a DefinitiveIdentification that identifies the node identified by the "GlobalModuleReference" or one of its subordinates. If multiple modules meet this criterion, the denoted module is the one with the largest object identifier. For this comparison, the arcs are compared successively until one arc is different (selecting the largest arc) or the end of one object identifier is reached (selecting the longer object identifier).

IECNORM.COM : Click to view the full PDF of ISO/IEC 8824-1:2015/Amd 1:2019