
**Equipment for crop protection — Sprayer
nozzles — Colour coding for
identification**

*Matériel de protection des cultures — Buses de pulvérisation — Code
de couleur pour l'identification*

STANDARDSISO.COM : Click to view the full PDF of ISO 10625:2005



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 10625:2005

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10625 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 6, *Equipment for crop protection*.

This second edition cancels and replaces the first edition (ISO 10625:1996), of which it constitutes a technical revision. It also incorporates Technical Corrigendum ISO 10625:1996/Cor.1:1998.

Equipment for crop protection — Sprayer nozzles — Colour coding for identification

IMPORTANT — The colours represented in the electronic file of this International Standard could differ from the true representations when viewed on-screen or printed in colour.

1 Scope

This International Standard specifies the system of colour coding for identification of all types of hydraulic spray nozzles, such as flat and cone nozzles used for the application of crop protection products in agriculture.

This International Standard is not applicable to nozzles where there is more than one component influencing flow rate. It might not be applicable to liquid fertilizer applications.

It allows for flow recognition on small parts in order to avoid any confusion under normal conditions of use.

2 Requirements

Sprayer nozzles shall be colour-coded according to Clause 3. If nozzles are made of plastics, the material shall be uniformly coloured throughout.

3 Nozzle colour code

The colour of the nozzle shall be that specified in Table 1, on the basis of the nozzle's flow rate at a working pressure of 300 kPa¹).

1) This value corresponds to the value used for tests specified in ISO 5682-1:1996.

Table 1 — Colour code for nozzles



Flow-rate at 300 kPa (with relative tolerance of $\pm 5\%$) l/min	Nozzle size ^a	Colour	Name of colour	RAL number ^{a b}
0,2	0050		Blue lilac	4005
0,25	0067		Olive green	6003
0,3	0075		Light pink	3015
0,4	01		Pure orange	2004
0,6	015		Traffic green	6024
0,8	02		Zinc yellow	1018
1,0	025		Signal violet	4008
1,2	03		Gentian blue	5010
1,4	035		Brown red	3011
1,6	04		Flame red	3000

Table 1 (continued)

Flow-rate at 300 kPa (with relative tolerance of $\pm 5\%$) l/min	Nozzle size ^a	Colour	Name of colour	RAL number ^{a b}
2,0	05		Nut brown	8011
2,4	06		Signal grey	7004
3,2	08		Traffic white	9016
4,0	10		Light blue	5012
6,0	15		Yellow green	6018
^a For information only. ^b RAL is an acronym of Deutsches Institut für Gütesicherung und Kennzeichnung e.V.				

Bibliography

- [1] ISO 5682-1:1996, *Equipment for crop protection — Spraying equipment — Part 1: Test methods of sprayer nozzles*

STANDARDSISO.COM : Click to view the full PDF of ISO 10625:2005