

---

---

**Information technology — Service  
management —**

Part 1:  
**Service management system  
requirements**

*Technologies de l'information — Gestion des services —  
Partie 1: Exigences du système de gestion des services*

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 20000-1:2011

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 20000-1:2011



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword .....	v
Introduction.....	vii
<b>1</b> <b>Scope</b> .....	<b>1</b>
<b>1.1</b> <b>General</b> .....	<b>1</b>
<b>1.2</b> <b>Application</b> .....	<b>2</b>
<b>2</b> <b>Normative references</b> .....	<b>2</b>
<b>3</b> <b>Terms and definitions</b> .....	<b>3</b>
<b>4</b> <b>Service management system general requirements</b> .....	<b>7</b>
<b>4.1</b> <b>Management responsibility</b> .....	<b>7</b>
<b>4.1.1</b> <b>Management commitment</b> .....	<b>7</b>
<b>4.1.2</b> <b>Service management policy</b> .....	<b>8</b>
<b>4.1.3</b> <b>Authority, responsibility and communication</b> .....	<b>8</b>
<b>4.1.4</b> <b>Management representative</b> .....	<b>8</b>
<b>4.2</b> <b>Governance of processes operated by other parties</b> .....	<b>8</b>
<b>4.3</b> <b>Documentation management</b> .....	<b>9</b>
<b>4.3.1</b> <b>Establish and maintain documents</b> .....	<b>9</b>
<b>4.3.2</b> <b>Control of documents</b> .....	<b>9</b>
<b>4.3.3</b> <b>Control of records</b> .....	<b>10</b>
<b>4.4</b> <b>Resource management</b> .....	<b>10</b>
<b>4.4.1</b> <b>Provision of resources</b> .....	<b>10</b>
<b>4.4.2</b> <b>Human resources</b> .....	<b>10</b>
<b>4.5</b> <b>Establish and improve the SMS</b> .....	<b>10</b>
<b>4.5.1</b> <b>Define scope</b> .....	<b>10</b>
<b>4.5.2</b> <b>Plan the SMS (Plan)</b> .....	<b>11</b>
<b>4.5.3</b> <b>Implement and operate the SMS (Do)</b> .....	<b>11</b>
<b>4.5.4</b> <b>Monitor and review the SMS (Check)</b> .....	<b>11</b>
<b>4.5.5</b> <b>Maintain and improve the SMS (Act)</b> .....	<b>13</b>
<b>5</b> <b>Design and transition of new or changed services</b> .....	<b>13</b>
<b>5.1</b> <b>General</b> .....	<b>13</b>
<b>5.2</b> <b>Plan new or changed services</b> .....	<b>14</b>
<b>5.3</b> <b>Design and development of new or changed services</b> .....	<b>14</b>
<b>5.4</b> <b>Transition of new or changed services</b> .....	<b>15</b>
<b>6</b> <b>Service delivery processes</b> .....	<b>15</b>
<b>6.1</b> <b>Service level management</b> .....	<b>15</b>
<b>6.2</b> <b>Service reporting</b> .....	<b>16</b>
<b>6.3</b> <b>Service continuity and availability management</b> .....	<b>16</b>
<b>6.3.1</b> <b>Service continuity and availability requirements</b> .....	<b>16</b>
<b>6.3.2</b> <b>Service continuity and availability plans</b> .....	<b>16</b>
<b>6.3.3</b> <b>Service continuity and availability monitoring and testing</b> .....	<b>17</b>
<b>6.4</b> <b>Budgeting and accounting for services</b> .....	<b>17</b>
<b>6.5</b> <b>Capacity management</b> .....	<b>18</b>
<b>6.6</b> <b>Information security management</b> .....	<b>18</b>
<b>6.6.1</b> <b>Information security policy</b> .....	<b>18</b>
<b>6.6.2</b> <b>Information security controls</b> .....	<b>19</b>
<b>6.6.3</b> <b>Information security changes and incidents</b> .....	<b>19</b>
<b>7</b> <b>Relationship processes</b> .....	<b>19</b>
<b>7.1</b> <b>Business relationship management</b> .....	<b>19</b>
<b>7.2</b> <b>Supplier management</b> .....	<b>20</b>
<b>8</b> <b>Resolution processes</b> .....	<b>21</b>

8.1	Incident and service request management .....	21
8.2	Problem management .....	22
9	Control processes .....	22
9.1	Configuration management .....	22
9.2	Change management .....	23
9.3	Release and deployment management .....	24
	Bibliography .....	26

Figures

Figure 1	— PDCA methodology applied to service management .....	viii
Figure 2	— Service management system .....	2
Figure 3	— Example of supply chain relationships .....	20

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 20000-1:2011

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 20000-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*. This second edition cancels and replaces the first edition (ISO/IEC 20000-1:2005), which has been technically revised. The main differences are as follows:

- closer alignment to ISO 9001;
- closer alignment to ISO/IEC 27001;
- change of terminology to reflect international usage;
- addition of many more definitions, updates to some definitions and removal of two definitions;
- introduction of the term “service management system”;
- combining Clauses 3 and 4 of ISO/IEC 20000-1:2005 to put all management system requirements into one clause;
- clarification of the requirements for the governance of processes operated by other parties;
- clarification of the requirements for defining the scope of the SMS;
- clarification that the PDCA methodology applies to the SMS, including the service management processes, and the services;
- introduction of new requirements for the design and transition of new or changed services.

ISO/IEC 20000 consists of the following parts, under the general title *Information technology — Service management*:

- *Part 1: Service management system requirements*
- *Part 2: Guidance on the application of service management systems*<sup>1)</sup>

---

1) To be published. (Technical revision of ISO/IEC 20000-2:2005.)

## ISO/IEC 20000-1:2011(E)

- *Part 3: Guidance on scope definition and applicability of ISO/IEC 20000-1* [Technical Report]
- *Part 4: Process reference model* [Technical Report]
- *Part 5: Exemplar implementation plan for ISO/IEC 20000-1* [Technical Report]

A process assessment model for service management will form the subject of a future Part 8.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 20000-1:2011

## Introduction

The requirements in this part of ISO/IEC 20000 include the design, transition, delivery and improvement of services that fulfil service requirements and provide value for both the customer and the service provider. This part of ISO/IEC 20000 requires an integrated process approach when the service provider plans, establishes, implements, operates, monitors, reviews, maintains and improves a service management system (SMS).

Co-ordinated integration and implementation of an SMS provides ongoing control and opportunities for continual improvement, greater effectiveness and efficiency. The operation of processes as specified in this part of ISO/IEC 20000 requires personnel to be well organized and co-ordinated. Appropriate tools can be used to enable the processes to be effective and efficient.

The most effective service providers consider the impact on the SMS through all stages of the service lifecycle, from strategy through design, transition and operation, including continual improvement.

This part of ISO/IEC 20000 requires the application of the methodology known as “Plan-Do-Check-Act” (PDCA) to all parts of the SMS and the services. The PDCA methodology, as applied in this part of ISO/IEC 20000, can be briefly described as follows.

**Plan:** establishing, documenting and agreeing the SMS. The SMS includes the policies, objectives, plans and processes to fulfil the service requirements.

**Do:** implementing and operating the SMS for the design, transition, delivery and improvement of the services.


**Check:** monitoring, measuring and reviewing the SMS and the services against the policies, objectives, plans and service requirements and reporting the results.

**Act:** taking actions to continually improve performance of the SMS and the services.

When used within an SMS, the following are the most important aspects of an integrated process approach and the PDCA methodology:

- a) understanding and fulfilling the service requirements to achieve customer satisfaction;
- b) establishing the policy and objectives for service management;
- c) designing and delivering services based on the SMS that add value for the customer;
- d) monitoring, measuring and reviewing performance of the SMS and the services;
- e) continually improving the SMS and the services based on objective measurements.

Figure 1 illustrates how the PDCA methodology can be applied to the SMS, including the service management processes specified in Clauses 5 to 9, and the services. Each element of the PDCA methodology is a vital part of a successful implementation of an SMS. The improvement process used in this part of ISO/IEC 20000 is based on the PDCA methodology.



**Figure 1 — PDCA methodology applied to service management**

This part of ISO/IEC 20000 enables a service provider to integrate its SMS with other management systems in the service provider's organization. The adoption of an integrated process approach and the PDCA methodology enables the service provider to align or fully integrate multiple management system standards. For example, an SMS can be integrated with a quality management system based on ISO 9001 or an information security management system based on ISO/IEC 27001.

ISO/IEC 20000 is intentionally independent of specific guidance. The service provider can use a combination of generally accepted guidance and its own experience.

Users of an International Standard are responsible for its correct application. An International Standard does not purport to include all necessary statutory and regulatory requirements and contractual obligations of the service provider. Conformity to an International Standard does not of itself confer immunity from statutory and regulatory requirements.

For the purposes of research on service management standards, users are encouraged to share their views on ISO/IEC 20000-1 and their priorities for changes to the rest of the ISO/IEC 20000 series. Click on the link below to take part in the online survey.

[ISO/IEC 20000-1 online survey](#)

# Information technology — Service management —

## Part 1: Service management system requirements

### 1 Scope

#### 1.1 General

This part of ISO/IEC 20000 is a service management system (SMS) standard. It specifies requirements for the service provider to plan, establish, implement, operate, monitor, review, maintain and improve an SMS. The requirements include the design, transition, delivery and improvement of services to fulfil service requirements. This part of ISO/IEC 20000 can be used by:

- a) an organization seeking services from service providers and requiring assurance that their service requirements will be fulfilled;
- b) an organization that requires a consistent approach by all its service providers, including those in a supply chain;
- c) a service provider that intends to demonstrate its capability for the design, transition, delivery and improvement of services that fulfil service requirements;
- d) a service provider to monitor, measure and review its service management processes and services;
- e) a service provider to improve the design, transition and delivery of services through effective implementation and operation of an SMS;
- f) an assessor or auditor as the criteria for a conformity assessment of a service provider's SMS to the requirements in this part of ISO/IEC 20000.

Figure 2 illustrates an SMS, including the service management processes. The service management processes and the relationships between the processes can be implemented in different ways by different service providers. The nature of the relationship between a service provider and the customer will influence how the service management processes are implemented.




Figure 2 — Service management system

## 1.2 Application

All requirements in this part of ISO/IEC 20000 are generic and are intended to be applicable to all service providers, regardless of type, size and the nature of the services delivered. Exclusion of any of the requirements in Clauses 4 to 9 is not acceptable when a service provider claims conformity to this part of ISO/IEC 20000, irrespective of the nature of the service provider's organization.

Conformity to the requirements in Clause 4 can only be demonstrated by a service provider showing evidence of fulfilling all of the requirements in Clause 4. A service provider cannot rely on evidence of the governance of processes operated by other parties for the requirements in Clause 4.

Conformity to the requirements in Clauses 5 to 9 can be demonstrated by the service provider showing evidence of fulfilling all requirements. Alternatively, the service provider can show evidence of fulfilling the majority of the requirements themselves and evidence of the governance of processes operated by other parties for those processes, or parts of processes, that the service provider does not operate directly.

The scope of this part of ISO/IEC 20000 excludes the specification for a product or tool. However, organizations can use this part of ISO/IEC 20000 to help them develop products or tools that support the operation of an SMS.

NOTE ISO/IEC TR 20000-3 provides guidance on scope definition and applicability of this part of ISO/IEC 20000. This includes further explanation about the governance of processes operated by other parties.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

No normative references are cited. This clause is included in order to ensure clause numbering is identical with ISO/IEC 20000-2:—, *Information technology — Service management — Part 2: Guidance on the application of service management systems*<sup>2)</sup>.

2) To be published.

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

##### **availability**

ability of a service or service component to perform its required function at an agreed instant or over an agreed period of time

NOTE Availability is normally expressed as a ratio or percentage of the time that the service or service component is actually available for use by the customer to the agreed time that the service should be available.

#### 3.2

##### **configuration baseline**

configuration information formally designated at a specific time during a service or service component's life

NOTE 1 Configuration baselines, plus approved changes from those baselines, constitute the current configuration information.

NOTE 2 Adapted from ISO/IEC/IEEE 24765:2010.

#### 3.3

##### **configuration item**

##### **CI**

element that needs to be controlled in order to deliver a service or services

#### 3.4

##### **configuration management database**

##### **CMDB**

data store used to record attributes of configuration items, and the relationships between configuration items, throughout their lifecycle

#### 3.5

##### **continual improvement**

recurring activity to increase the ability to fulfil service requirements

NOTE Adapted from ISO 9000:2005.

#### 3.6

##### **corrective action**

action to eliminate the cause or reduce the likelihood of recurrence of a detected nonconformity or other undesirable situation

NOTE Adapted from ISO 9000:2005.

#### 3.7

##### **customer**

organization or part of an organization that receives a service or services

NOTE 1 A customer can be internal or external to the service provider's organization.

NOTE 2 Adapted from ISO 9000:2005.

#### 3.8

##### **document**

information and its supporting medium

[ISO 9000:2005]

EXAMPLES Policies, plans, process descriptions, procedures, service level agreements, contracts or records.

## ISO/IEC 20000-1:2011(E)

NOTE 1 The documentation can be in any form or type of medium.

NOTE 2 In ISO/IEC 20000, documents, except for records, state the intent to be achieved.

### 3.9 effectiveness

extent to which planned activities are realized and planned results achieved

[ISO 9000:2005]

### 3.10 incident

unplanned interruption to a service, a reduction in the quality of a service or an event that has not yet impacted the service to the customer

### 3.11 information security

preservation of confidentiality, integrity and accessibility of information

NOTE 1 In addition, other properties such as authenticity, accountability, non-repudiation and reliability can also be involved.

NOTE 2 The term "availability" has not been used in this definition because it is a defined term in this part of ISO/IEC 20000 which would not be appropriate for this definition.

NOTE 3 Adapted from ISO/IEC 27000:2009.

### 3.12 information security incident

single or a series of unwanted or unexpected information security events that have a significant probability of compromising business operations and threatening information security

[ISO/IEC 27000:2009]

### 3.13 interested party

person or group having a specific interest in the performance or success of the service provider's activity or activities

EXAMPLES Customers, owners, management, people in the service provider's organization, suppliers, bankers, unions or partners.

NOTE 1 A group can comprise an organization, a part thereof, or more than one organization.

NOTE 2 Adapted from ISO 9000:2005.

### 3.14 internal group

part of the service provider's organization that enters into a documented agreement with the service provider to contribute to the design, transition, delivery and improvement of a service or services

NOTE The internal group is outside the scope of the service provider's SMS.

### 3.15 known error

problem that has an identified root cause or a method of reducing or eliminating its impact on a service by working around it

### 3.16 nonconformity

non-fulfilment of a requirement

[ISO 9000:2005]

### 3.17

#### **organization**

group of people and facilities with an arrangement of responsibilities, authorities and relationships

EXAMPLES Company, corporation, firm, enterprise, institution, charity, sole trader, association, or parts or combination thereof.

NOTE 1 The arrangement is generally orderly.

NOTE 2 An organization can be public or private.

[ISO 9000:2005]

### 3.18

#### **preventive action**

action to avoid or eliminate the causes or reduce the likelihood of occurrence of a potential nonconformity or other potential undesirable situation

NOTE Adapted from ISO 9000:2005.

### 3.19

#### **problem**

root cause of one or more incidents

NOTE The root cause is not usually known at the time a problem record is created and the problem management process is responsible for further investigation.

### 3.20

#### **procedure**

specified way to carry out an activity or a process

[ISO 9000:2005]

NOTE Procedures can be documented or not.

### 3.21

#### **process**

set of interrelated or interacting activities which transforms inputs into outputs

[ISO 9000:2005]

### 3.22

#### **record**

document stating results achieved or providing evidence of activities performed

[ISO 9000:2005]

EXAMPLES Audit reports, incident reports, training records or minutes of meetings.

### 3.23

#### **release**

collection of one or more new or changed configuration items deployed into the live environment as a result of one or more changes

### 3.24

#### **request for change**

proposal for a change to be made to a service, service component or the service management system

## ISO/IEC 20000-1:2011(E)

NOTE A change to a service includes the provision of a new service or the removal of a service which is no longer required.

### **3.25** **risk** effect of uncertainty on objectives

NOTE 1 An effect is a deviation from the expected — positive and/or negative.

NOTE 2 Objectives can have different aspects (such as financial, health and safety, and environmental goals) and can apply at different levels (such as strategic, organization-wide, project, product and process).

NOTE 3 Risk is often characterized by reference to potential events and consequences, or a combination of these.

NOTE 4 Risk is often expressed in terms of a combination of the consequences of an event (including changes in circumstances) and the associated likelihood of occurrence.

[ISO 31000:2009]

### **3.26** **service** means of delivering value for the customer by facilitating results the customer wants to achieve

NOTE 1 Service is generally intangible.

NOTE 2 A service can also be delivered to the service provider by a supplier, an internal group or a customer acting as a supplier.

### **3.27** **service component** single unit of a service that when combined with other units will deliver a complete service

EXAMPLES Hardware, software, tools, applications, documentation, information, processes or supporting services.

NOTE A service component can consist of one or more configuration items.

### **3.28** **service continuity** capability to manage risks and events that could have serious impact on a service or services in order to continually deliver services at agreed levels

### **3.29** **service level agreement** **SLA** documented agreement between the service provider and customer that identifies services and service targets

NOTE 1 A service level agreement can also be established between the service provider and a supplier, an internal group or a customer acting as a supplier.

NOTE 2 A service level agreement can be included in a contract or another type of documented agreement.

### **3.30** **service management** set of capabilities and processes to direct and control the service provider's activities and resources for the design, transition, delivery and improvement of services to fulfil the service requirements

### **3.31** **service management system** **SMS** management system to direct and control the service management activities of the service provider

NOTE 1 A management system is a set of interrelated or interacting elements to establish policy and objectives and to achieve those objectives.

NOTE 2 The SMS includes all service management policies, objectives, plans, processes, documentation and resources required for the design, transition, delivery and improvement of services and to fulfil the requirements in this part of ISO/IEC 20000.

NOTE 3 Adapted from the definition of "quality management system" in ISO 9000:2005.

### 3.32

#### **service provider**

organization or part of an organization that manages and delivers a service or services to the customer

NOTE A customer can be internal or external to the service provider's organization.

### 3.33

#### **service request**

request for information, advice, access to a service or a pre-approved change

### 3.34

#### **service requirement**

needs of the customer and the users of the service, including service level requirements, and the needs of the service provider

### 3.35

#### **supplier**

organization or part of an organization that is external to the service provider's organization and enters into a contract with the service provider to contribute to the design, transition, delivery and improvement of a service or services or processes

NOTE Suppliers include designated lead suppliers but not their sub-contracted suppliers.

### 3.36

#### **top management**

person or group of people who direct and control the service provider at the highest level

NOTE Adapted from ISO 9000:2005.

### 3.37

#### **transition**

activities involved in moving a new or changed service to or from the live environment

## 4 Service management system general requirements

### 4.1 Management responsibility

#### 4.1.1 Management commitment

Top management shall provide evidence of its commitment to planning, establishing, implementing, operating, monitoring, reviewing, maintaining, and improving the SMS and the services by:

- a) establishing and communicating the scope, policy and objectives for service management;
- b) ensuring that the service management plan is created, implemented and maintained in order to adhere to the policy, achieve the objectives for service management and fulfil the service requirements;
- c) communicating the importance of fulfilling service requirements;
- d) communicating the importance of fulfilling statutory and regulatory requirements and contractual obligations;

- e) ensuring the provision of resources;
- f) conducting management reviews at planned intervals;
- g) ensuring that risks to services are assessed and managed.

#### **4.1.2 Service management policy**

Top management shall ensure that the service management policy:

- a) is appropriate to the purpose of the service provider;
- b) includes a commitment to fulfil service requirements;
- c) includes a commitment to continually improve the effectiveness of the SMS and the services through the policy on continual improvement in Clause 4.5.5.1;
- d) provides a framework for establishing and reviewing service management objectives;
- e) is communicated and understood by the service provider's personnel;
- f) is reviewed for continuing suitability.

#### **4.1.3 Authority, responsibility and communication**

Top management shall ensure that:

- a) service management authorities and responsibilities are defined and maintained;
- b) documented procedures for communication are established and implemented.

#### **4.1.4 Management representative**

Top management shall appoint a member of the service provider's management who, irrespective of other responsibilities, has the authorities and responsibilities that include:

- a) ensuring that activities are performed to identify, document and fulfil service requirements;
- b) assigning authorities and responsibilities for ensuring that service management processes are designed, implemented and improved in accordance with the policy and objectives for service management;
- c) ensuring that service management processes are integrated with the other components of the SMS;
- d) ensuring that assets, including licences, used to deliver services are managed according to statutory and regulatory requirements and contractual obligations;
- e) reporting to top management on the performance and opportunities for improvement to the SMS and the services.

## **4.2 Governance of processes operated by other parties**

For the processes in Clauses 5 to 9, the service provider shall identify all processes, or parts of processes, which are operated by other parties. Other parties can be an internal group, a customer or a supplier. The service provider shall demonstrate governance of processes operated by other parties by:

- a) demonstrating accountability for the processes and authority to require adherence to the processes;
- b) controlling the definition of the processes, and interfaces to other processes;
- c) determining process performance and compliance with process requirements;

- d) controlling the planning and prioritizing of process improvements.

When a supplier is operating parts of the processes, the service provider shall manage the supplier through the supplier management process. When an internal group or a customer is operating parts of the processes, the service provider shall manage the internal group or the customer through the service level management process.

NOTE ISO/IEC TR 20000-3 provides guidance on scope definition and applicability of this part of ISO/IEC 20000. This includes further explanation about the governance of processes operated by other parties.

## 4.3 Documentation management

### 4.3.1 Establish and maintain documents

The service provider shall establish and maintain documents, including records, to ensure effective planning, operation and control of the SMS. These documents shall include:

- a) documented policy and objectives for service management;
- b) documented service management plan;
- c) documented policies and plans created for specific processes as required by this part of ISO/IEC 20000;
- d) documented catalogue of services;
- e) documented SLAs;
- f) documented service management processes;
- g) documented procedures and records required by this part of ISO/IEC 20000;
- h) additional documents, including those of external origin, determined by the service provider as necessary to ensure effective operation of the SMS and delivery of the services.

### 4.3.2 Control of documents

Documents required by the SMS shall be controlled. Records are a special type of document and shall be controlled according to the requirements given in Clause 4.3.3.

A documented procedure, including the authorities and responsibilities, shall be established to define the controls needed to:

- a) create and approve documents prior to issue;
- b) communicate to interested parties about new or changed documents;
- c) review and maintain documents as necessary;
- d) ensure that changes and the current revision status of documents are identified;
- e) ensure that relevant versions of applicable documents are available at points of use;
- f) ensure that documents are readily identifiable and legible;
- g) ensure that documents of external origin are identified and their distribution controlled;
- h) prevent the unintended use of obsolete documents and apply suitable identification to them if they are retained.

#### 4.3.3 Control of records

Records shall be kept to demonstrate conformity to requirements and the effective operation of the SMS.

A documented procedure shall be established to define the controls needed for the identification, storage, protection, retrieval, retention and disposal of records. Records shall be legible, readily identifiable and retrievable.

### 4.4 Resource management

#### 4.4.1 Provision of resources

The service provider shall determine and provide the human, technical, information and financial resources needed to:

- a) establish, implement and maintain the SMS and the services, and continually improve their effectiveness;
- b) enhance customer satisfaction by delivering services that fulfil service requirements.

#### 4.4.2 Human resources

The service provider's personnel performing work affecting conformity to service requirements shall be competent on the basis of appropriate education, training, skills and experience. The service provider shall:

- a) determine the necessary competence for personnel;
- b) where applicable, provide training or take other actions to achieve the necessary competence;
- c) evaluate the effectiveness of actions taken;
- d) ensure that its personnel are aware of how they contribute to the achievement of service management objectives and the fulfilment of service requirements;
- e) maintain appropriate records of education, training, skills and experience.

### 4.5 Establish and improve the SMS

#### 4.5.1 Define scope

The service provider shall define and include the scope of the SMS in the service management plan. The scope shall be defined by the name of the organizational unit providing the services, and the services to be delivered.

The service provider shall also take into consideration other factors affecting the services to be delivered including:

- a) geographical location(s) from which the service provider delivers the services;
- b) the customer and their location(s);
- c) technology used to provide the services.

NOTE ISO/IEC TR 20000-3 provides guidance on scope definition and applicability of this part of ISO/IEC 20000.

#### 4.5.2 Plan the SMS (Plan)

The service provider shall create, implement and maintain a service management plan. Planning shall take into consideration the service management policy, service requirements and requirements in this part of ISO/IEC 20000. The service management plan shall contain or include a reference to at least the following:

- a) service management objectives that are to be achieved by the service provider;
- b) service requirements;
- c) known limitations which can impact the SMS;
- d) policies, standards, statutory and regulatory requirements and contractual obligations;
- e) framework of authorities, responsibilities and process roles;
- f) authorities and responsibilities for plans, service management processes and services;
- g) human, technical, information and financial resources necessary to achieve the service management objectives;
- h) approach to be taken for working with other parties involved in the design and transition of new or changed services process;
- i) approach to be taken for the interfaces between service management processes and their integration with the other components of the SMS;
- j) approach to be taken for the management of risks and the criteria for accepting risks;
- k) technology used to support the SMS;
- l) how the effectiveness of the SMS and the services will be measured, audited, reported and improved.

Plans created for specific processes shall be aligned with the service management plan. The service management plan and plans created for specific processes shall be reviewed at planned intervals and, if applicable, updated.

#### 4.5.3 Implement and operate the SMS (Do)

The service provider shall implement and operate the SMS for the design, transition, delivery and improvement of services according to the service management plan, through activities including at least:

- a) allocation and management of funds and budgets;
- b) assignment of authorities, responsibilities and process roles;
- c) management of human, technical and information resources;
- d) identification, assessment and management of risks to the services;
- e) management of service management processes;
- f) monitoring and reporting on performance of service management activities.

#### 4.5.4 Monitor and review the SMS (Check)

##### 4.5.4.1 General

The service provider shall use suitable methods for monitoring and measuring the SMS and the services. These methods shall include internal audits and management reviews.

The objectives of all internal audits and management reviews shall be documented. The internal audits and management reviews shall demonstrate the ability of the SMS and the services to achieve service management objectives and fulfil service requirements. Nonconformities shall be identified against the requirements in this part of ISO/IEC 20000, the SMS requirements identified by the service provider or the service requirements.

The results of internal audits and management reviews, including nonconformities, concerns and actions identified, shall be recorded. The results and actions shall be communicated to interested parties.

#### **4.5.4.2 Internal audit**

The service provider shall conduct internal audits, at planned intervals, to determine whether the SMS and the services:

- a) fulfil the requirements in this part of ISO/IEC 20000;
- b) fulfil the service requirements and the SMS requirements identified by the service provider;
- c) are effectively implemented and maintained.

There shall be a documented procedure including the authorities and responsibilities for planning and conducting audits, reporting results and maintaining audit records.

An audit programme shall be planned. This shall take into consideration the status and importance of the processes and areas to be audited, as well as the results of previous audits. The audit criteria, scope, frequency and methods shall be documented.

The selection of auditors and conduct of audits shall ensure objectivity and impartiality of the audit. Auditors shall not audit their own work.

Nonconformities shall be communicated, prioritized and responsibility allocated for actions. The management responsible for the area being audited shall ensure that any corrections and corrective actions are taken without undue delay to eliminate nonconformities and their causes. Follow-up activities shall include the verification of the actions taken and the reporting of results.

NOTE See ISO 19011 for guidance on management systems auditing.

#### **4.5.4.3 Management review**

Top management shall review the SMS and the services at planned intervals to ensure their continued suitability and effectiveness. This review shall include assessing opportunities for improvement and the need for changes to the SMS, including the policy and objectives for service management.

The input to management reviews shall include at least information on:

- a) customer feedback;
- b) service and process performance and conformity;
- c) current and forecast human, technical, information and financial resource levels;
- d) current and forecast human and technical capabilities;
- e) risks;
- f) results and follow-up actions from audits;
- g) results and follow-up actions from previous management reviews;
- h) status of preventive and corrective actions;

- i) changes that could affect the SMS and the services;
- j) opportunities for improvement.

Records of management reviews shall be maintained.

The records from the management review shall include at least decisions and actions related to resources, improvement of the effectiveness of the SMS and improvement of the services.

#### **4.5.5 Maintain and improve the SMS (Act)**

##### **4.5.5.1 General**

There shall be a policy on continual improvement of the SMS and the services. The policy shall include evaluation criteria for the opportunities for improvement.

There shall be a documented procedure including the authorities and responsibilities for identifying, documenting, evaluating, approving, prioritizing, managing, measuring and reporting of improvements. Opportunities for improvement, including corrective and preventive actions, shall be documented.

The cause of identified nonconformities shall be corrected. Corrective actions shall be taken to eliminate the cause of identified nonconformities in order to prevent recurrence. Preventive actions shall be taken in order to eliminate the cause of potential nonconformities in order to prevent occurrence.

NOTE For more information on corrective and preventive action, see ISO 9001:2008, Clause 8.5.

##### **4.5.5.2 Management of improvements**

Opportunities for improvement shall be prioritized. The service provider shall use the evaluation criteria in the policy on continual improvement, when making decisions on opportunities for improvement.

Approved improvements shall be planned.

The service provider shall manage improvement activities that include at least:

- a) setting targets for improvements in one or more of quality, value, capability, cost, productivity, resource utilization and risk reduction;
- b) ensuring that approved improvements are implemented;
- c) revising the service management policies, plans, processes and procedures, where necessary;
- d) measuring implemented improvements against the targets set and where targets are not achieved, taking necessary actions;
- e) reporting on implemented improvements.

## **5 Design and transition of new or changed services**

### **5.1 General**

The service provider shall use this process for all new services and changes to services with the potential to have a major impact on services or the customer. The changes that are in the scope of Clause 5 shall be determined by the change management policy agreed as part of the change management process.

Assessment, approval, scheduling and reviewing of new or changed services in the scope of Clause 5 shall be controlled by the change management process. The CIs affected by new or changed services in the scope of Clause 5 shall be controlled by the configuration management process.

The service provider shall review outputs from the planning and design activities for new or changed services against the agreed service requirements and the relevant requirements given in Clauses 5.2 and 5.3. Based on the review, the service provider shall accept or reject the outputs. The service provider shall take necessary actions to ensure that the development and transition of the new or changed services can be performed effectively, using the accepted outputs.

**NOTE** The need for a new service or a change to a service can originate from the customer, the service provider, an internal group or a supplier in order to satisfy business needs or to improve the effectiveness of the services.

## **5.2 Plan new or changed services**

The service provider shall identify the service requirements for the new or changed services. New or changed services shall be planned to fulfil the service requirements. Planning for the new or changed services shall be agreed with the customer and interested parties.

As input to planning, the service provider shall take into consideration the potential financial, organizational, and technical impact of delivering the new or changed services. The service provider shall also take into consideration the potential impact of the new or changed services on the SMS.

Planning for the new or changed services shall contain or include a reference to at least the following:

- a) authorities and responsibilities for design, development and transition activities;
- b) activities to be performed by the service provider and other parties including activities across interfaces from the service provider to other parties;
- c) communication to interested parties;
- d) human, technical, information and financial resources;
- e) timescales for planned activities;
- f) identification, assessment and management of risks;
- g) dependencies on other services;
- h) testing required for the new or changed services;
- i) service acceptance criteria;
- j) expected outcomes from delivering the new or changed services, expressed in measurable terms.

For services that are to be removed, the service provider shall plan for the removal of the service(s). Planning shall include the date(s) for the removal, archiving, disposal or transfer of data, documentation and service components. The service components can include infrastructure and applications with associated licences.

The service provider shall identify other parties who will contribute to the provision of service components for the new or changed services. The service provider shall evaluate their ability to fulfil the service requirements. The results of the evaluation shall be recorded and necessary actions taken.

## **5.3 Design and development of new or changed services**

The new or changed services shall be designed and documented to include at least:

- a) authorities and responsibilities for delivery of the new or changed services;
- b) activities to be performed by the service provider, customer and other parties for delivery of the new or changed services;
- c) new or changed human resource requirements, including requirements for appropriate education, training, skills and experience;

- d) financial resource requirements for delivery of the new or changed services;
- e) new or changed technology to support the delivery of the new or changed services;
- f) new or changed plans and policies as required by this part of ISO/IEC 20000;
- g) new or changed contracts and other documented agreements to align with changes in service requirements;
- h) changes to the SMS;
- i) new or changed SLAs;
- j) updates to the catalogue of services;
- k) procedures, measures and information to be used for the delivery of the new or changed services.

The service provider shall ensure that the design enables the new or changed services to fulfil the service requirements.

The new or changed services shall be developed in accordance with the documented design.

NOTE For further information about design, see the design and development process in ISO 9001:2008, Clause 7.3 or the architectural design process in ISO/IEC 15288:2008, Clause 6.4.3.

#### **5.4 Transition of new or changed services**

The new or changed services shall be tested to verify that they fulfil the service requirements and documented design. The new or changed services shall be verified against service acceptance criteria agreed in advance by the service provider and interested parties. If the service acceptance criteria are not met, the service provider and interested parties shall make a decision on necessary actions and deployment.

The release and deployment management process shall be used to deploy approved new or changed services into the live environment.

Following the completion of the transition activities, the service provider shall report to interested parties on the outcomes achieved against the expected outcomes.

## **6 Service delivery processes**

### **6.1 Service level management**

The service provider shall agree the services to be delivered with the customer.

The service provider shall agree a catalogue of services with the customer. The catalogue of services shall include the dependencies between services and service components.

For each service delivered, one or more SLAs shall be agreed with the customer. When creating SLAs, the service provider shall take into consideration the service requirements. SLAs shall include agreed service targets, workload characteristics and exceptions.

The service provider shall review services and SLAs with the customer at planned intervals.

Changes to the documented service requirements, catalogue of services, SLAs and other documented agreements shall be controlled by the change management process. The catalogue of services shall be maintained following changes to services and SLAs to ensure that they are aligned.

The service provider shall monitor trends and performance against service targets at planned intervals. Results shall be recorded and reviewed to identify the causes of nonconformities and opportunities for improvement.

For service components provided by an internal group or the customer, the service provider shall develop, agree, review and maintain a documented agreement to define the activities and interfaces between the two parties. The service provider shall monitor performance of the internal group or the customer against agreed service targets and other agreed commitments, at planned intervals. Results shall be recorded and reviewed to identify the causes of nonconformities and opportunities for improvement.

## **6.2 Service reporting**

The description of each service report, including its identity, purpose, audience, frequency and details of the data source(s), shall be documented and agreed by the service provider and interested parties.

Service reports shall be produced for services using information from the delivery of services and the SMS activities, including the service management processes. Service reporting shall include at least:

- a) performance against service targets;
- b) relevant information about significant events including at least major incidents, deployment of new or changed services and the service continuity plan being invoked;
- c) workload characteristics including volumes and periodic changes in workload;
- d) detected nonconformities against the requirements in this part of ISO/IEC 20000, the SMS requirements or the service requirements and their identified causes;
- e) trend information;
- f) customer satisfaction measurements, service complaints and results of the analysis of satisfaction measurements and complaints.

The service provider shall make decisions and take actions based on the findings in service reports. The agreed actions shall be communicated to interested parties.

## **6.3 Service continuity and availability management**

### **6.3.1 Service continuity and availability requirements**

The service provider shall assess and document the risks to service continuity and availability of services. The service provider shall identify and agree with the customer and interested parties service continuity and availability requirements. The agreed requirements shall take into consideration applicable business plans, service requirements, SLAs and risks.

The agreed service continuity and availability requirements shall include at least:

- a) access rights to the services;
- b) service response times;
- c) end to end availability of services.

### **6.3.2 Service continuity and availability plans**

The service provider shall create, implement and maintain a service continuity plan(s) and an availability plan(s). Changes to these plans shall be controlled by the change management process.

The service continuity plan(s) shall include at least:

- a) procedures to be implemented in the event of a major loss of service, or reference to them;
- b) availability targets when the plan is invoked;
- c) recovery requirements;
- d) approach for the return to normal working conditions.

The service continuity plan(s), contact lists and the CMDB shall be accessible when access to normal service locations is prevented.

The availability plan(s) shall include at least availability requirements and targets.

The service provider shall assess the impact of requests for change on the service continuity plan(s) and the availability plan(s).

NOTE The service continuity plan(s) and availability plan(s) can be combined into one document.

### 6.3.3 Service continuity and availability monitoring and testing

Availability of services shall be monitored, the results recorded and compared with agreed targets. Unplanned non-availability shall be investigated and necessary actions taken.

Service continuity plans shall be tested against the service continuity requirements. Availability plans shall be tested against the availability requirements. Service continuity and availability plans shall be re-tested after major changes to the service environment in which the service provider operates.

The results of the tests shall be recorded. Reviews shall be conducted after each test and after the service continuity plan has been invoked. Where deficiencies are found, the service provider shall take necessary actions and report on the actions taken.

## 6.4 Budgeting and accounting for services

There shall be a defined interface between the budgeting and accounting for services process and other financial management processes.

There shall be policies and documented procedures for:

- a) budgeting and accounting for service components including at least
  - 1) assets — including licences — used to provide the services,
  - 2) shared resources,
  - 3) overheads,
  - 4) capital and operating expenses,
  - 5) externally supplied services,
  - 6) personnel,
  - 7) facilities;
- b) apportioning indirect costs and allocating direct costs to services, to provide an overall cost for each service;
- c) effective financial control and approval.

Costs shall be budgeted to enable effective financial control and decision-making for services delivered.

The service provider shall monitor and report costs against the budget, review the financial forecasts and manage costs.

Information shall be provided to the change management process to support the costing of requests for change.

NOTE Many service providers charge for their services. The scope of the budgeting and accounting for services process excludes charging.

## **6.5 Capacity management**

The service provider shall identify and agree capacity and performance requirements with the customer and interested parties.

The service provider shall create, implement and maintain a capacity plan taking into consideration human, technical, information and financial resources. Changes to the capacity plan shall be controlled by the change management process.

The capacity plan shall include at least:

- a) current and forecast demand for services;
- b) expected impact of agreed requirements for availability, service continuity and service levels;
- c) time-scales, thresholds and costs for upgrades to service capacity;
- d) potential impact of statutory, regulatory, contractual or organizational changes;
- e) potential impact of new technologies and new techniques;
- f) procedures to enable predictive analysis, or reference to them.

The service provider shall monitor capacity usage, analyse capacity data and tune performance. The service provider shall provide sufficient capacity to fulfil agreed capacity and performance requirements.

## **6.6 Information security management**

### **6.6.1 Information security policy**

Management with appropriate authority shall approve an information security policy taking into consideration the service requirements, statutory and regulatory requirements and contractual obligations. Management shall:

- a) communicate the information security policy and the importance of conforming to the policy to appropriate personnel within the service provider, customer and suppliers;
- b) ensure that information security management objectives are established;
- c) define the approach to be taken for the management of information security risks and the criteria for accepting risks;
- d) ensure that information security risk assessments are conducted at planned intervals;
- e) ensure that internal information security audits are conducted;
- f) ensure that audit results are reviewed to identify opportunities for improvement.

### 6.6.2 Information security controls

The service provider shall implement and operate physical, administrative and technical information security controls in order to:

- a) preserve confidentiality, integrity and accessibility of information assets;
- b) fulfil the requirements of the information security policy;
- c) achieve information security management objectives;
- d) manage risks related to information security.

These information security controls shall be documented and shall describe the risks to which the controls relate, their operation and maintenance.

The service provider shall review the effectiveness of information security controls. The service provider shall take necessary actions and report on the actions taken.

The service provider shall identify external organizations that have a need to access, use or manage the service provider's information or services. The service provider shall document, agree and implement information security controls with these external organizations.

### 6.6.3 Information security changes and incidents

Requests for change shall be assessed to identify:

- a) new or changed information security risks;
- b) potential impact on the existing information security policy and controls.

Information security incidents shall be managed using the incident management procedures, with a priority appropriate to the information security risks. The service provider shall analyse the types, volumes and impacts of information security incidents. Information security incidents shall be reported and reviewed to identify opportunities for improvement.

NOTE The ISO/IEC 27000 family of standards specifies requirements and provides guidance to support the implementation and operation of an information security management system.

## 7 Relationship processes

### 7.1 Business relationship management

The service provider shall identify and document the customers, users and interested parties of the services.

For each customer, the service provider shall have a designated individual who is responsible for managing the customer relationship and customer satisfaction.

The service provider shall establish a communication mechanism with the customer. The communication mechanism shall promote understanding of the business environment in which the services operate and requirements for new or changed services. This information shall enable the service provider to respond to these requirements.

The service provider shall review the performance of the services at planned intervals, with the customer.

Changes to the documented service requirements shall be controlled by the change management process. Changes to the SLAs shall be co-ordinated with the service level management process.

The definition of a service complaint shall be agreed with the customer. There shall be a documented procedure to manage service complaints from the customer. The service provider shall record, investigate, act upon, report and close service complaints. Where a service complaint is not resolved through the normal channels, escalation shall be provided to the customer.

The service provider shall measure customer satisfaction at planned intervals based on a representative sample of the customers and users of the services. The results shall be analysed and reviewed to identify opportunities for improvement.

## 7.2 Supplier management

The service provider may use suppliers to implement and operate some parts of the service management processes. An example of supply chain relationships is illustrated in Figure 3.




Figure 3 — Example of supply chain relationships

For each supplier, the service provider shall have a designated individual who is responsible for managing the relationship, the contract and performance of the supplier.

The service provider and the supplier shall agree a documented contract. The contract shall contain or include a reference to:

- a) scope of the services to be delivered by the supplier;
- b) dependencies between services, processes and the parties;
- c) requirements to be fulfilled by the supplier;
- d) service targets;
- e) interfaces between service management processes operated by the supplier and other parties;
- f) integration of the supplier's activities within the SMS;
- g) workload characteristics;
- h) contract exceptions and how these will be handled;
- i) authorities and responsibilities of the service provider and the supplier;
- j) reporting and communication to be provided by the supplier;
- k) basis for charging;
- l) activities and responsibilities for the expected or early termination of the contract and the transfer of services to a different party.